

2 大氣污染調查關係資料

表2.1 二酸化鉛法による硫黄酸化物調査

平成6年度 二酸化鉛法による硫黄酸化物測定結果																		
地 点 名			単位: mgSO ₃ /日/100cm ² PbO ₂															
敦賀市	比田宮ヶ	大正常	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均	最低	最高	
小浜市	本保久	水取里崎井田中和多	0.04	0.03	0.02	0.02	0.02	0.03	0.04	0.04	0.04	0.03	0.04	0.03	0.03	0.03	0.02	0.04
			0.06	0.05	0.07	0.06	0.05	0.04	0.03	0.06	0.07	0.05	0.04	0.03	0.05	0.05	0.03	0.07
			0.07	0.05	0.05	0.04	0.05	0.04	0.03	0.06	0.07	0.04	0.02	0.03	0.03	0.05	0.02	0.07
			0.04	0.03	0.03	0.02	0.02	0.02	0.02	0.05	0.04	0.02	0.01	0.01	0.03	0.01	0.05	
河野村	河糠野	左米右ノ味生大蒲	0.02	0.00	0.00	0.00	0.01	0.00	0.04	0.03	0.01	0.00	0.01	0.02	0.01	0.00	0.04	
			0.03	0.03	0.01	0.01	0.02	0.02	0.01	0.04	0.05	0.02	0.02	0.02	0.02	0.01	0.05	
			0.05	0.03	0.02	0.02	0.03	0.01	0.02	0.06	0.06	0.04	0.03	0.04	0.05	0.04	0.06	
			0.02	0.03	0.01	0.02	0.02	0.02	0.01	0.02	0.02	0.04	0.03	0.03	0.04	0.01	0.05	
越前町	左米右ノ味生大蒲	0.02	0.00	0.00	0.00	0.01	0.00	0.04	0.03	0.01	0.00	0.01	0.02	0.01	0.00	0.03	0.05	
		0.03	0.03	0.01	0.01	0.02	0.02	0.01	0.04	0.05	0.02	0.02	0.02	0.02	0.01	0.06		
		0.07	0.02	0.01	0.03	0.03	0.01	0.02	0.06	0.06	0.04	0.03	0.06	0.05	0.04	0.07		
		0.02	0.03	0.00	0.02	0.02	0.02	0.01	0.02	0.02	0.04	0.03	0.03	0.02	0.01	0.04		
三方町	中井別	0.03	0.02	0.02	0.02	0.02	0.01	0.02	0.04	0.04	0.03	0.03	0.03	0.04	0.03	0.02	0.04	
		0.04	0.03	0.02	0.01	0.02	0.01	0.02	0.05	0.04	0.03	0.01	0.02	0.02	0.02	0.01	0.05	
		0.04	0.03	0.01	0.01	0.02	0.01	0.02	0.04	0.04	0.03	0.02	0.02	0.02	0.01	0.04		
		欠測	0.03	0.01	0.01	0.02	0.01	0.02	0.04	0.04	0.03	0.02	0.02	0.02	0.01	0.04		
美浜町	竹佐河興	0.03	0.02	0.01	0.02	0.02	0.01	0.00	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.00	0.03	
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.03	0.02	0.03	0.02	0.01	0.04		
		0.04	0.03	0.03	0.02	0.02	0.02	0.02	0.05	0.05	0.03	0.03	0.03	0.02	0.01	0.05		
		0.04	0.03	0.01	0.01	0.02	0.01	0.02	0.04	0.04	0.03	0.02	0.02	0.02	0.02	0.03		
上中町	下熊武市	0.04	0.03	0.01	0.01	0.01	0.00	0.01	0.04	0.04	0.03	欠測	欠測	0.03	0.03	0.01	0.04	
		0.03	0.03	0.03	0.00	0.02	0.00	0.01	0.06	0.04	0.04	0.03	0.03	0.04	0.03	0.00	0.06	
		0.03	0.03	0.01	0.01	0.01	0.01	0.01	0.04	0.05	0.03	0.03	0.02	0.03	0.02	0.01	0.05	
		0.04	0.02	0.02	0.01	0.02	0.01	0.02	0.06	0.04	0.04	0.04	0.02	0.02	0.03	0.01	0.06	
名田庄村	小坂倉本	0.02	0.01	0.01	0.00	0.01	0.00	0.00	0.04	0.02	0.01	0.01	0.02	0.02	0.01	0.00	0.04	
		0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.02	0.01	0.00	0.00	0.01	0.00	0.03		
		0.03	0.03	0.02	0.01	0.01	0.01	0.01	0.05	0.03	0.03	0.02	0.02	0.03	0.02	0.01	0.05	
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.03	0.02	0.02	0.02	0.02	0.01	0.06	
高浜町	和宮田崎	0.03	0.03	0.02	0.01	0.01	0.01	0.02	0.05	0.03	0.03	0.04	0.03	0.03	0.03	0.01	0.05	
		0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.00	0.04	
		0.03	0.03	0.02	0.01	0.01	0.01	0.01	0.05	0.03	0.03	0.03	0.02	0.03	0.02	0.01	0.05	
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.03	0.02	0.02	0.02	0.02	0.00	0.04	
大飯町	尾鹿内野	0.02	0.01	欠測	0.01	0.00	0.01	0.01	0.00	0.03	0.01	0.01	0.01	0.01	0.01	0.00	0.03	
		0.02	0.01	0.00	0.01	0.00	0.01	0.00	0.03	0.03	0.01	0.01	0.01	0.01	0.01	0.00	0.03	
		0.02	0.01	0.00	0.01	0.00	0.01	0.00	0.03	0.03	0.01	0.01	0.01	0.01	0.01	0.00	0.03	
		0.02	0.01	0.00	0.01	0.00	0.01	0.00	0.03	0.03	0.01	0.01	0.01	0.01	0.01	0.00	0.03	
対照地点	北谷	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.02	0.02	0.00	0.00	0.01	0.01	0.01	0.00	0.02	
		0.09	0.09	0.08	0.05	0.06	0.06	0.07	0.06	0.10	0.11	0.10	0.10	0.08	0.06	0.05	0.11	
		0.08	0.07	0.13	0.13	0.14	0.14	0.12	0.16	0.10	0.10	0.10	0.17	0.16	0.07	0.05	0.10	
		0.19	0.19	0.08	0.08	欠測	欠測	欠測	0.09	0.22	0.07	0.07	0.10	0.10	0.07	0.06	0.12	
標準点	三原局	0.07	0.06	0.06	0.04	0.03	0.04	0.05	0.08	0.08	0.07	0.06	0.07	0.06	0.06	0.04	0.08	
		0.07	0.05	0.06	0.05	0.05	0.05	0.04	0.04	0.08	0.08	0.07	0.07	0.06	0.06	0.04	0.08	
		0.07	0.05	0.06	0.05	0.05	0.05	0.04	0.04	0.08	0.08	0.07	0.07	0.06	0.06	0.04	0.08	
		0.07	0.06	0.06	0.05	0.05	0.05	0.04	0.04	0.08	0.08	0.07	0.07	0.06	0.06	0.04	0.08	

注) 標準点 清明局の欄: 4～6月は麻生津局、10月～は清明局である。(局舎移転)

表2.2 TGSろ紙法による窒素酸化物(二酸化窒素)調査結果

平成6年度 T G Sろ紙法による窒素酸化物(二酸化窒素)測定結果													単位: mgNO ₂ /日/100cm ²			
地 点 名		4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均	最低	最高
敦賀市	大比田宮ヶ	0.093 0.102 0.042 0.049	0.098 0.103 0.042 0.042	0.082 0.127 0.046 0.047	0.065 0.086 0.039 0.034	0.065 0.071 0.034 0.034	0.092 0.111 0.037 0.051	0.085 0.110 0.039 0.054	0.101 0.129 0.066 0.073	0.067 0.112 0.038 0.059	0.063 0.133 0.030 0.064	0.078 0.135 0.025 0.061	0.086 0.128 0.042 0.061	0.081 0.112 0.040 0.052	0.063 0.071 0.025 0.034	0.101 0.135 0.066 0.073
	保取里久多	0.015 0.027 0.057 0.056 0.015 0.014	0.013 0.024 0.048 0.054 0.016 0.014	0.015 0.023 0.066 0.054 0.015 0.014	0.012 0.018 0.045 0.040 0.012 0.011	0.015 0.023 0.041 0.046 0.015 0.015	0.013 0.027 0.053 0.059 0.015 0.018	0.011 0.029 0.069 0.069 0.015 0.015	0.022 0.049 0.083 0.094 0.023 0.019	0.015 0.039 0.070 0.068 0.022 0.020	0.016 0.041 0.080 0.078 0.017 0.023	0.010 0.037 0.086 0.079 0.018 0.023	0.021 0.036 0.080 0.063 0.019 0.019	0.015 0.031 0.065 0.064 0.017 0.017	0.010 0.018 0.041 0.040 0.012 0.011	0.022 0.049 0.086 0.094 0.023 0.023
河野村	糠野	0.036 0.042	0.035 0.039	0.038 0.045	0.030 0.038	0.034 0.037	0.031 0.035	0.032 0.035	0.048 0.057	0.034 0.036	0.027 0.026	0.028 0.029	0.032 0.041	0.034 0.038	0.027 0.026	0.048 0.057
越前町	左ノ	0.022 0.035	0.018 0.032	0.019 欠測	0.022 0.045	0.026 0.044	0.020 0.052	0.017 0.048	0.025 0.049	0.013 0.028	0.011 0.019	0.012 0.024	0.019 0.033	0.019 0.037	0.011 0.019	0.026 0.052
越廼村	大蒲	0.019 0.026	0.021 0.022	0.017 0.022	0.018 0.025	0.020 0.022	0.016 0.022	0.015 0.021	0.024 0.025	0.014 0.018	0.011 0.018	0.013 0.019	0.021 0.027	0.017 0.022	0.011 0.018	0.024 0.027
三方町	中井別	0.051 0.044 欠測	0.045 0.044 0.021	0.049 0.040 0.021	0.033 0.031 0.017	0.037 0.040 0.024	0.056 0.061 0.025	0.058 0.065 0.022	0.075 0.078 0.031	0.059 0.058 0.025	0.088 0.081 0.027	0.079 0.082 0.023	0.065 0.063 0.027	0.058 0.057 0.024	0.033 0.031 0.017	0.088 0.082 0.031
美浜町	波田原道	0.022 0.039 0.026 0.026	0.023 0.035 0.025 0.025	0.023 0.038 0.026 0.026	0.026 0.030 0.022 0.019	0.023 0.027 0.024 0.024	0.023 0.027 0.024 0.024	0.018 0.032 0.026 0.019	0.014 0.030 0.024 0.020	0.027 0.041 0.037 0.033	0.017 0.036 0.029 0.020	0.014 0.039 0.030 0.020	0.013 0.034 0.029 0.017	0.024 0.045 0.031 0.030	0.020 0.035 0.027 0.023	0.027 0.045 0.037 0.033
上中町	中川生場	0.035 0.044 0.028 0.034	0.039 0.051 0.025 0.029	0.031 0.055 0.024 0.037	0.024 0.040 0.020 0.028	0.031 0.046 0.028 0.028	0.037 0.055 0.028 0.034	0.038 0.060 0.028 0.041	0.061 0.081 0.056 0.059	0.043 0.061 0.037 0.044	欠測 0.071 0.043 0.062	0.050 0.069 0.031 0.067	0.049 0.072 0.042 0.048	0.040 0.059 0.032 0.042	0.024 0.040 0.020 0.028	0.061 0.081 0.056 0.062
名田庄村	小坂	0.014 0.011	0.015 0.010	0.015 0.008	0.012 0.007	0.014 0.011	0.014 0.010	0.014 0.014	0.021 0.020	0.021 0.034	0.024 0.020	0.020 0.019	0.018 0.016	0.017 0.015	0.012 0.007	0.024 0.034
高浜町	和宮	0.049 0.044	0.057 0.040	0.050 0.036	0.036 0.032	0.037 0.032	0.057 0.042	0.062 0.046	0.087 0.064	0.066 0.057	0.094 0.076	0.079 0.064	0.069 0.054	0.062 0.049	0.036 0.032	0.094 0.076
大飯町	尾鹿	0.028 0.015	0.027 0.014	0.026 0.013	0.019 0.011	0.018 0.012	0.019 0.012	0.019 0.012	0.028 0.017	0.025 0.018	0.031 0.019	0.029 0.017	0.032 0.016	0.025 0.015	0.018 0.011	0.032 0.019
対照地点	北谷	0.015	0.012	0.011	0.009	0.012	0.013	0.014	0.019	0.018	0.017	0.017	0.019	0.015	0.009	0.019
標準点	三國原井明生一	0.050 0.059 0.095 0.094 0.072 0.093	0.049 0.052 0.092 0.084 0.062 0.072	0.051 0.062 0.098 0.096 0.073 0.079	0.041 0.046 0.076 欠測 0.057 0.061	0.039 0.048 0.073 欠測 0.059 0.061	0.065 0.080 0.157 欠測 0.098 0.102	0.070 0.086 0.141 0.083 0.100 0.112	0.091 0.108 0.171 0.112 0.119 0.106	0.077 0.092 0.151 0.114 0.110 0.133	0.083 0.098 0.163 0.121 0.135 0.103	0.075 0.087 0.153 0.112 0.118 0.128	0.060 0.071 0.096 0.101 0.098 0.104	0.063 0.074 0.125 0.101 0.092 0.096	0.039 0.046 0.073 0.083 0.057 0.061	0.091 0.108 0.171 0.121 0.135 0.133

注) 標準点 清明局の欄: 4~6月は麻生津局、10月~は清明局である。(局舎移転)

表 2.3 降下ばいじん調査結果

平成6年度降下ばいじん調査結果

測定項目	H6/4	5	6	7	8	9	10	11	12	H7/1	2	3	平均
pH													
溶解性物質降下量	4.51	6.25	4.40	(5.15)	(5.60)	4.46	4.71	4.32	4.41	4.51	4.33	4.40	
不溶性物質降下量	0.53	0.47	0.59	0.50	0.37	1.19	1.09	1.26	5.51	7.61	3.88	3.57	
降下ばいじん総量	2.14	2.81	0.70	0.66	0.64	0.75	0.92	0.66	0.82	1.40	0.91	2.76	
	2.67	3.28	1.29	1.16	1.01	1.94	2.01	1.92	6.33	9.01	4.79	6.33	3.48
pH													
溶解性物質降下量	4.33	5.80	4.52	(5.30)	(5.65)	4.35	4.33	4.33	4.34	4.48	4.30	4.36	
不溶性物質降下量	0.58	0.51	0.51	0.91	0.26	1.10	0.92	1.32	6.03	8.74	3.76	3.30	
降下ばいじん総量	2.13	2.29	0.77	1.16	0.63	0.90	0.65	0.74	0.72	1.34	0.72	3.12	
	2.71	2.80	1.28	2.07	0.89	2.00	1.57	2.06	6.75	10.08	4.48	6.42	3.59
pH													
溶解性物質降下量	4.22	5.81	4.38	(5.18)	(5.67)	4.22	4.30	4.21	4.26	4.31	4.10	4.25	
不溶性物質降下量	0.75	0.29	0.31	0.45	0.25	1.34	1.04	1.67	7.33	8.52	3.65	2.90	
降下ばいじん総量	3.27	2.56	0.57	0.79	0.65	0.66	0.69	0.60	0.71	1.11	0.55	2.64	
	4.02	2.85	0.88	1.24	0.90	2.00	1.73	2.27	8.04	9.63	4.20	5.54	3.61
pH													
溶解性物質降下量	4.29	7.25	4.56	(5.26)	(5.64)	4.33	4.28	4.20	4.29	4.37	4.14	4.44	
不溶性物質降下量	0.97	0.86	0.66	0.42	0.27	1.15	1.03	1.59	4.27	7.68	2.75	2.89	
降下ばいじん総量	2.81	2.83	0.64	0.51	0.63	0.73	0.77	0.70	0.69	1.05	0.47	3.30	
	3.78	3.69	1.30	0.93	0.90	1.88	1.80	2.29	4.96	8.73	3.22	6.19	3.31
pH													
溶解性物質降下量	5.92	6.81	5.07	(6.33)	(5.83)	4.64	5.76	5.52	4.64	4.94	5.47	5.66	
不溶性物質降下量	0.95	0.81	1.03	0.47	0.42	1.73	1.33	1.84	6.04	10.64	3.90	4.01	
降下ばいじん総量	8.42	5.20	3.17	1.99	2.89	3.88	4.38	4.46	4.20	3.68	7.45	7.86	
	9.37	6.01	4.20	2.46	3.31	5.61	5.71	6.30	10.24	14.32	11.35	11.87	7.56
pH													
溶解性物質降下量	6.34	6.12	5.03	(5.56)	(6.07)	—	5.94	5.58	4.74	4.74	5.17	5.58	
不溶性物質降下量	0.61	0.71	0.38	0.51	0.42	—	1.77	1.80	6.46	7.53	5.08	3.82	
降下ばいじん総量	7.07	5.35	2.27	1.84	2.71	—	4.06	3.18	4.62	3.54	5.77	7.15	
	7.68	6.06	2.65	2.35	3.13	—	5.83	4.98	11.08	11.07	10.85	10.97	6.97

単位：トン/㎢²/月、ただしpHを除く

*：10月以降は「神明神社」

表2.4 酸性雨調査結果 福井(濾過式)

(その1)

採取日	採取量	降水量	pH	H ⁺	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECca1	EC比	dSO ₄	
単位	降水濃度	mm		mg/l	μS/cm	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	μS/cm		mg/l	
	降下物量	mm		mg/m ²	0.1mS	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	0.1mS		g/m ²	
4	4.04	416	13.2	4.54	0.0288	30.50	3.02	3.07	1.54	0.20	0.92	0.04	0.12	0.09	0.094	0.156	0.61	25.62	1.19	2.79
	4.11	374	11.9	4.62	0.0240	24.80	2.08	2.58	1.01	0.57	0.46	0.04	0.40	0.06	0.102	0.113	0.90	21.86	1.13	1.96
	4.18	1300	41.4	4.70	0.0200	20.80	1.59	1.23	1.89	0.17	1.12	0.03	0.22	0.11	0.099	0.106	0.93	19.44	1.07	1.31
	4.25	657	20.9	6.44	0.0004	13.86	1.63	1.57	0.88	0.43	0.50	0.06	0.90	0.10	0.101	0.084	1.20	12.61	1.10	1.50
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.66	0.0022	3.55	0.39	0.27	0.11	0.20	0.06	0.04	0.02	0.00	0.018	0.016	1.15	3.04	1.17	0.37
	月平均降水濃度			4.77	0.0172	21.15	1.88	1.77	1.48	0.29	0.85	0.04	0.39	0.10	0.099	0.109	0.90	19.07	1.11	1.67
	月雨水降下量	87.5			1.50	1.85	0.16	0.16	0.13	0.03	0.07	0.00	0.03	0.00	0.009	0.010		1.67		0.15
	月全降下量			4.76	1.52	1.87	0.17	0.16	0.13	0.03	0.07	0.00	0.03	0.00	0.009	0.010	0.91	1.69	1.11	0.15
	月																			
5	5.02	618	19.7	5.51	0.0031	28.30	5.42	3.14	0.68	1.38	0.40	0.13	1.64	0.12	0.192	0.183	1.05	27.33	1.04	5.32
	5.09	454	14.5	6.42	0.0004	36.60	4.49	2.37	4.18	0.72	2.57	0.17	1.64	0.38	0.270	0.250	1.08	34.73	1.05	3.84
	5.16	1413	45.0	5.01	0.0098	14.62	1.69	1.17	1.04	0.39	0.57	0.05	0.28	0.06	0.076	0.083	0.92	13.84	1.06	1.55
	5.23	0	0.0		*****										*****	0.000		*****	0.00	0.00
	5.30	1142	36.4	6.36	0.0004	18.10	2.36	1.76	0.99	0.94	0.77	0.11	0.64	0.12	0.131	0.105	1.24	16.39	1.10	2.17
	洗浄水	200		6.21	0.0006	7.92	0.84	0.88	0.20	0.44	0.14	0.03	0.32	0.02	0.049	0.037	1.33	6.25	1.27	0.80
	月平均降水濃度			5.34	0.0045	20.80	2.89	1.84	1.36	0.77	0.85	0.10	0.80	0.13	0.137	0.128	1.07	19.56	1.06	2.67
	月雨水降下量	115.5			0.52	2.40	0.33	0.21	0.16	0.09	0.10	0.01	0.09	0.01	0.016	0.015		2.26		0.31
	月全降下量			5.34	0.53	2.45	0.34	0.22	0.16	0.09	0.10	0.01	0.09	0.02	0.016	0.015	1.08	2.30	1.07	0.31
	月																			
6	6.06	0	0.0		*****										*****	0.000		*****	0.00	0.00
	6.13	474	15.1	5.10	0.0079	15.95	1.98	2.46	0.31	0.78	0.13	0.06	0.64	0.05	0.094	0.090	1.05	15.27	1.04	1.95
	6.20	2360	75.2	5.00	0.0100	7.44	0.65	0.54	0.19	0.24	0.09	0.00	0.05	0.00	0.030	0.028	1.08	6.94	1.07	0.63
	6.27	1084	34.5	4.35	0.0447	37.40	3.83	2.49	1.67	1.01	0.94	0.05	0.31	0.10	0.167	0.167	1.00	36.09	1.04	3.59
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.08	0.0008	3.95	0.32	0.12	0.17	0.31	0.11	0.08	0.00	0.00	0.025	0.013	1.86	2.98	1.32	0.29
	月平均降水濃度			4.71	0.0193	16.76	1.69	1.31	0.61	0.52	0.33	0.02	0.19	0.03	0.075	0.074	1.02	16.01	1.05	1.61
	月雨水降下量	124.8			2.41	2.09	0.21	0.16	0.08	0.06	0.04	0.00	0.02	0.00	0.009	0.009		2.00		0.20
	月全降下量			4.71	2.42	2.12	0.21	0.16	0.08	0.07	0.04	0.00	0.02	0.00	0.010	0.009	1.03	2.02	1.05	0.20
	月																			
7	7.04	430	13.7	4.81	0.0155	21.50	3.10	2.18	0.51	1.26	0.31	0.14	0.29	0.04	0.120	0.114	1.05	21.30	1.01	3.02
	7.11	1770	56.4	5.08	0.0083	8.96	1.39	0.58	0.09	0.55	0.03	0.01	0.05	0.00	0.043	0.041	1.05	8.56	1.05	1.38
	7.18	0	0.0		*****										*****	0.000		*****	0.00	0.00
	7.25	0	0.0		*****										*****	0.000		*****	0.00	0.00
	8.01	21	0.7	7.60	0.0000	154.50	20.97	21.02	4.50	8.76	3.95	7.45	7.27	1.05	1.297	0.903	1.44	153.36	1.01	19.98
	洗浄水	200		6.93	0.0001	20.30	2.25	1.10	0.35	0.08	0.31	0.38	2.28	0.10	0.150	0.074	2.01	14.73	1.38	2.17
	月平均降水濃度			5.02	0.0096	12.76	1.91	1.08	0.21	0.77	0.12	0.11	0.16	0.02	0.070	0.063	1.10	12.40	1.03	1.88
	月雨水降下量	70.7			0.68	0.90	0.13	0.08	0.02	0.05	0.00	0.00	0.01	0.00	0.005	0.004		0.88		0.13
	月全降下量			5.02	0.68	1.03	0.15	0.08	0.02	0.05	0.01	0.01	0.03	0.00	0.006	0.005	1.19	0.97	1.06	0.15
	月																			
8	8.08	0	0.0		*****										*****	0.000		*****	0.00	0.00
	8.15	118	3.8	6.80	0.0002	35.30	4.95	4.59	1.03	1.70	0.62	0.20	2.73	0.20	0.279	0.205	1.36	33.38	1.06	4.79
	8.22	208	6.6	6.67	0.0002	15.93	1.76	1.98	0.74	0.76	0.45	0.16	1.07	0.08	0.126	0.089	1.41	14.79	1.08	1.65
	8.29	50	1.6	6.42	0.0004	45.70	4.47	4.35	5.50	1.22	3.11	0.41	2.27	0.37	0.357	0.318	1.12	45.32	1.01	3.69
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.94	0.0011	7.40	0.98	0.93	0.23	0.41	0.34	0.24	0.21	0.02	0.057	0.042	1.36	7.18	1.03	0.89
	月平均降水濃度			6.66	0.0002	25.97	3.12	3.10	1.46	1.12	0.86	0.21	1.75	0.16	0.205	0.156	1.31	24.68	1.05	2.91
	月雨水降下量	12.0			0.00	0.31	0.04	0.04	0.02	0.01	0.01	0.00	0.02	0.00	0.002	0.002		0.30		0.03
	月全降下量			6.08	0.01	0.36	0.04	0.04	0.02	0.02	0.01	0.00	0.02	0.00	0.003	0.002	1.32	0.34	1.05	0.04
	月																			
9	9.05	906	28.9	4.80	0.0158	13.08	1.82	0.79	0.24	0.41	0.11	0.04	0.20	0.00	0.054	0.057	0.95	12.58	1.04	1.79
	9.12	648	20.6	4.04	0.0912	52.10	5.13	2.73	0.75	0.78	0.23	0.05	0.24	0.03	0.160	0.172	0.93	49.83	1.05	5.07
	9.19	2216	70.6	4.88	0.0132	9.12	0.80	0.71	0.26	0.24	0.13	0.01	0.07	0.00	0.036	0.035	1.01	8.81	1.04	0.77
	9.26	807	25.7	4.10	0.0794	58.30	4.85	3.93	2.74	0.95	1.57	0.10	0.37	0.19	0.237	0.242	0.98	55.71	1.05	4.46
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.61	0.0025	8.07	0.67	0.42	1.14	0.22	0.87	0.08	0.04	0.03	0.059	0.053	1.12	8.11	1.00	0.45
	月平均降水濃度			4.44	0.0364	24.66	2.33	1.58	0.76	0.48	0.39	0.04	0.17	0.04	0.093	0.095	0.97	23.63	1.04	2.23
	月雨水降下量	145.8			5.31	3.59	0.34	0.23	0.11	0.07	0.06	0.00	0.03	0.00	0.013	0.014		3.44		0.33
	月全降下量			4.44	5.33	3.65	0.34	0.23	0.12	0.07	0.06	0.00	0.03	0.00	0.014	0.014	0.97	3.50	1.04	0.33
	月																			

酸性雨調査結果 福井（濾過式）

（その2）

採取日	採水量	降水量	pH	H+	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECcal	EC比	dSO ₄	
単位	降下物量	mm	mg/l	μS/cm	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	μS/cm		mg/l	
10	10.03	1890	60.2	4.76	0.0174	15.52	0.99	0.66	1.45	0.19	0.76	0.02	0.05	0.07	0.070	0.072	0.97	14.53	1.07	0.80
	10.11	259	8.2	4.63	0.0234	39.00	3.97	4.00	3.08	0.96	2.10	0.15	0.71	0.27	0.229	0.234	0.98	38.12	1.02	3.44
	10.17	912	29.0	4.48	0.0331	27.30	2.79	1.39	1.53	0.48	0.94	0.05	0.20	0.10	0.120	0.124	0.97	26.26	1.04	2.55
	10.24	1222	38.9	4.48	0.0331	28.30	2.00	1.05	2.67	0.24	1.52	0.04	0.12	0.14	0.131	0.134	0.98	27.21	1.04	1.62
	10.31	277	8.8	4.41	0.0389	77.60	6.36	3.28	11.03	0.90	7.44	0.28	0.71	0.83	0.523	0.496	1.05	77.88	1.00	4.49
	洗浄水	200		5.55	0.0028	3.83	0.34	0.12	0.30	0.12	0.19	0.04	0.00	0.00	0.019	0.017	1.07	3.32	1.16	0.29
	月平均雨水濃度			4.58	0.0264	26.41	2.12	1.26	2.47	0.35	1.48	0.05	0.18	0.15	0.133	0.134	0.99	25.46	1.04	1.74
	月雨水降下量	145.2			3.83	3.83	0.31	0.18	0.36	0.05	0.22	0.00	0.03	0.02	0.019	0.019		3.70		0.25
	月全降下量			4.58	3.85	3.86	0.31	0.18	0.36	0.05	0.22	0.00	0.03	0.02	0.019	0.020	0.99	3.72	1.04	0.26
	月全降下量			4.58	3.85	3.86	0.31	0.18	0.36	0.05	0.22	0.00	0.03	0.02	0.019	0.020	0.99	3.72	1.04	0.26
11	11.07	1238	39.4	4.77	0.0170	24.10	1.62	1.11	3.03	0.19	1.85	0.07	0.27	0.20	0.140	0.137	1.02	23.06	1.05	1.16
	11.14	243	7.7	4.39	0.0407	43.40	4.91	3.66	1.97	1.05	1.53	0.17	0.69	0.22	0.222	0.217	1.03	41.84	1.04	4.53
	11.21	784	25.0	4.60	0.0251	23.00	1.89	1.31	1.63	0.42	0.95	0.04	0.15	0.10	0.106	0.106	1.00	21.70	1.06	1.65
	11.28	1150	36.6	4.41	0.0389	46.90	3.54	1.28	5.42	0.45	3.45	0.15	0.20	0.38	0.259	0.247	1.05	44.54	1.05	2.67
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.40	0.0040	19.23	1.32	0.27	3.46	0.27	2.26	0.10	0.09	0.18	0.139	0.129	1.07	18.62	1.03	0.75
	月平均雨水濃度			4.55	0.0279	32.90	2.56	1.39	3.44	0.39	2.16	0.10	0.25	0.24	0.178	0.173	1.03	31.32	1.05	2.02
	月雨水降下量	108.8			3.04	3.58	0.28	0.15	0.37	0.04	0.23	0.01	0.03	0.03	0.019	0.019		3.41		0.22
	月全降下量			4.55	3.06	3.70	0.29	0.15	0.40	0.04	0.25	0.01	0.03	0.03	0.020	0.020	1.03	3.52	1.05	0.22
	月全降下量			4.55	3.06	3.70	0.29	0.15	0.40	0.04	0.25	0.01	0.03	0.03	0.020	0.020	1.03	3.52	1.05	0.22
12	12.05	1640	52.2	4.39	0.0407	78.20	4.36	1.62	13.60	0.42	8.95	0.33	0.45	0.96	0.563	0.501	1.13	80.04	0.98	2.11
	12.12	1004	32.0	4.40	0.0398	67.60	4.02	1.11	10.94	0.39	7.23	0.27	0.34	0.78	0.464	0.410	1.13	67.73	1.00	2.21
	12.19	3680	117.2	4.43	0.0372	69.00	3.81	1.25	11.83	0.37	7.83	0.26	0.37	0.82	0.491	0.433	1.13	70.00	0.99	1.84
	12.26	291	9.3	4.09	0.0813	87.60	6.62	5.09	7.94	1.07	5.32	0.32	0.99	0.67	0.485	0.444	1.09	84.85	1.03	5.28
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.42	0.0038	14.16	1.67	0.70	1.65	0.39	1.35	0.11	0.18	0.11	0.105	0.093	1.13	14.23	1.00	1.33
	月平均雨水濃度			4.39	0.0404	71.89	4.10	1.49	11.96	0.42	7.91	0.28	0.41	0.84	0.504	0.447	1.13	72.80	0.99	2.12
	月雨水降下量	210.7			8.51	15.14	0.86	0.31	2.52	0.09	1.67	0.06	0.09	0.18	0.106	0.094		15.34		0.45
	月全降下量			4.39	8.53	15.23	0.87	0.32	2.53	0.09	1.67	0.06	0.09	0.18	0.107	0.095	1.13	15.43	0.99	0.45
	月全降下量			4.39	8.53	15.23	0.87	0.32	2.53	0.09	1.67	0.06	0.09	0.18	0.107	0.095	1.13	15.43	0.99	0.45
1	1.04	2039	64.9	4.56	0.0275	31.80	2.16	0.82	3.84	0.22	2.23	0.03	0.12	0.23	0.162	0.167	0.98	29.62	1.07	1.60
	1.09	2830	90.1	4.40	0.0398	52.20	3.47	0.95	7.62	0.26	4.56	0.11	0.19	0.50	0.306	0.303	1.01	51.16	1.02	2.33
	1.17	4188	133.4	4.50	0.0316	60.80	3.72	1.21	10.72	0.29	6.38	0.20	0.39	0.72	0.409	0.399	1.02	61.51	0.99	2.12
	1.23	1452	46.2	4.38	0.0417	46.50	3.32	1.74	5.38	0.36	3.22	0.09	0.28	0.38	0.249	0.249	1.00	44.85	1.04	2.51
	1.30	2710	86.3	4.47	0.0339	51.70	3.63	1.29	7.45	0.35	4.49	0.14	0.34	0.49	0.309	0.307	1.01	50.06	1.03	2.50
	洗浄水	200		5.32	0.0048	6.04	0.34	0.07	0.76	0.08	0.49	0.00	0.00	0.01	0.031	0.030	1.06	5.40	1.12	0.22
	月平均雨水濃度			4.46	0.0343	51.05	3.36	1.17	7.74	0.29	4.62	0.13	0.28	0.51	0.311	0.307	1.01	50.20	1.02	2.20
	月雨水降下量	421.0			14.45	21.49	1.42	0.49	3.26	0.12	1.94	0.05	0.12	0.22	0.131	0.129		21.13		0.93
	月全降下量			4.46	14.48	21.53	1.42	0.49	3.26	0.12	1.95	0.05	0.12	0.22	0.131	0.129	1.01	21.17	1.02	0.93
	月全降下量			4.46	14.48	21.53	1.42	0.49	3.26	0.12	1.95	0.05	0.12	0.22	0.131	0.129	1.01	21.17	1.02	0.93
2	2.06	1940	61.8	4.53	0.0295	71.20	3.93	0.82	13.65	0.26	9.24	0.32	0.40	0.97	0.554	0.480	1.15	74.43	0.96	1.61
	2.13	1290	41.1	4.45	0.0355	38.50	2.82	1.34	4.24	0.37	2.69	0.11	0.19	0.30	0.210	0.200	1.05	37.24	1.03	2.14
	2.20	802	25.5	4.27	0.0537	58.40	4.53	1.95	5.85	0.74	3.75	0.18	0.28	0.42	0.311	0.291	1.07	55.37	1.05	3.59
	2.27	984	31.3	4.48	0.0331	72.40	4.86	1.63	11.99	0.58	8.17	0.29	0.51	0.87	0.525	0.466	1.13	73.41	0.99	2.81
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.44	0.0036	10.69	0.80	0.16	1.80	0.22	1.16	0.05	0.03	0.06	0.074	0.070	1.06	10.53	1.01	0.51
	月平均雨水濃度			4.45	0.0356	60.98	3.92	1.29	9.66	0.43	6.47	0.24	0.35	0.69	0.421	0.375	1.12	61.62	0.99	2.30
	月雨水降下量	159.7			5.69	9.74	0.63	0.21	1.54	0.07	1.03	0.04	0.06	0.11	0.067	0.060		9.84		0.37
	月全降下量			4.45	5.71	9.81	0.63	0.21	1.55	0.07	1.04	0.04	0.06	0.11	0.068	0.060	1.12	9.91	0.99	0.37
	月全降下量			4.45	5.71	9.81	0.63	0.21	1.55	0.07	1.04	0.04	0.06	0.11	0.068	0.060	1.12	9.91	0.99	0.37
3	3.06	988	31.5	4.27	0.0537	62.50	3.90	3.60	6.95	0.64	4.60	0.19	0.57	0.52	0.365	0.335	1.09	61.35	1.02	2.75
	3.13	1590	50.6	4.76	0.0174	46.10	3.64	1.42	7.57	0.50	5.14	0.21	0.62	0.56	0.351	0.312	1.12	48.00	0.96	2.35
	3.21	846	26.9	4.73	0.0186	37.60	4.25	1.98	4.30	0.90	2.72	0.18	0.92	0.35	0.266	0.242	1.10	39.33	0.96	3.57
	3.27	428	13.6	4.93	0.0117	36.40	5.65	4.65	1.62	1.36	0.98	0.37	2.08	0.32	0.269	0.238	1.13	38.32	0.95	5.40
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.69	0.0020	5.25	0.39	0.43	0.40	0.33	0.25	0.11	0.12	0.01	0.041	0.026	1.55	5.22	1.01	0.33
	月平均雨水濃度			4.58	0.0263	47.36	4.06	2.46	6.03	0.72	4.01	0.22	0.84	0.48	0.327	0.294	1.11	48.45	0.98	3.06
	月雨水降下量	122.7			3.23	5.81	0.50	0.30	0.74	0.09	0.49	0.03	0.10	0.06	0.040	0.036		5.94		0.38
	月全降下量			4.58	3.24	5.84	0.50	0.30	0.74	0.09	0.49	0.03	0.10	0.06	0.040	0.036	1.11	5.98	0.98	0.38
	月全降下量			4.58	3.24	5.84	0.50	0.30	0.74	0.09	0.49	0.03	0.10	0.06	0.040	0.036	1.11	5.98	0.98	0.38
年	年平均雨水濃度			4.54	0.0285	41.03	3.02	1.46	5.39	0.45	3.41	0.13	0.36	0.37	0.254	0.239	1.06	40.54	1.01	2.17
	年雨水降下量	1724			49.2	70.75	5.21	2.52	9.30	0.78	5.87	0.23	0.62	0.65	0.438	0.412		69.90		3.74
	年全降下量			4.54	49.4	71.45	5.28	2.56	9.37	0.80	5.92	0.24	0.65	0.65	0.443	0.415	1.07	70.54	1.01	3.79

表2.5 酸性雨調査結果 勝山(濾過式)

(その1)

採取日	採水量	降水量	pH	H ⁺	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECcal	EC比	dSO ₄	
単位	降水濃度	mm		mg/l	μS/cm	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	μS/cm		mg/l	
	降水濃度	mm		mg/m ²	0.1mS	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	0.1mS		g/m ²	
4	4.04	735	23.4	4.51	0.0309	31.50	2.92	3.01	1.68	0.72	1.03	0.10	0.37	0.13	0.147	0.157	0.94	29.80	1.06	2.66
	4.11	510	16.2	5.31	0.0049	6.70	0.66	0.93	0.15	0.25	0.05	0.03	0.15	0.00	0.029	0.033	0.89	5.84	1.15	0.65
	4.18	1280	40.8	5.82	0.0015	6.90	0.65	0.52	0.67	0.22	0.43	0.06	0.16	0.02	0.044	0.041	1.07	6.16	1.12	0.54
	4.25	1100	35.0	6.54	0.0003	7.19	0.58	0.53	0.29	0.48	0.18	0.06	0.28	0.02	0.052	0.029	1.80	5.68	1.27	0.53
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.72	0.0019	4.30	0.34	0.39	0.21	0.32	0.13	0.10	0.02	0.00	0.029	0.019	1.50	3.97	1.08	0.31
	月平均降水濃度			5.12	0.0076	11.95	1.09	1.09	0.69	0.40	0.42	0.06	0.24	0.04	0.065	0.060	1.09	10.76	1.11	0.98
	月雨水降水量	115.4		0.87	1.38	0.13	0.13	0.08	0.05	0.05	0.00	0.03	0.00	0.008	0.007		1.24		0.11	
	月全降水量		5.11	0.89	1.41	0.13	0.13	0.08	0.05	0.05	0.00	0.03	0.00	0.008	0.007	1.10	1.27	1.11	0.12	
	月全降水量		5.11	0.89	1.41	0.13	0.13	0.08	0.05	0.05	0.00	0.03	0.00	0.008	0.007	1.10	1.27	1.11	0.12	
5	5.02	683	21.8	5.42	0.0038	29.60	5.61	3.44	0.55	1.60	0.35	0.16	1.61	0.11	0.201	0.188	1.07	28.67	1.03	5.52
	5.09	1210	38.5	5.31	0.0049	23.80	2.95	1.60	2.58	0.48	1.55	0.16	0.72	0.23	0.158	0.160	0.99	22.81	1.04	2.56
	5.16	2110	67.2	5.09	0.0081	11.00	1.41	0.90	0.51	0.39	0.31	0.06	0.19	0.04	0.058	0.058	0.99	10.45	1.05	1.33
	5.23	155	4.9	5.88	0.0013	55.60	7.30	5.10	4.40	2.37	2.83	0.51	1.98	0.41	0.401	0.358	1.12	52.43	1.06	6.59
	5.30	1243	39.6	5.70	0.0020	8.04	1.10	0.92	0.21	0.42	0.18	0.05	0.29	0.03	0.051	0.044	1.18	7.23	1.11	1.05
	洗浄水	200		6.27	0.0005	4.00	0.26	0.23	0.15	0.16	0.13	0.13	0.05	0.00	0.021	0.013	1.56	2.54	1.58	0.23
	月平均降水濃度			5.28	0.0053	16.82	2.38	1.50	1.02	0.63	0.64	0.11	0.56	0.10	0.107	0.103	1.04	15.99	1.05	2.22
	月雨水降水量	172.0		0.90	2.89	0.41	0.26	0.18	0.11	0.11	0.02	0.10	0.02	0.018	0.018		2.75		0.38	
	月全降水量		5.28	0.91	2.92	0.41	0.26	0.18	0.11	0.11	0.02	0.10	0.02	0.018	0.018	1.04	2.77	1.06	0.38	
	月全降水量		5.28	0.91	2.92	0.41	0.26	0.18	0.11	0.11	0.02	0.10	0.02	0.018	0.018	1.04	2.77	1.06	0.38	
6	6.06	0	0.0	*****										*****	0.000		*****	0.00	0.00	
	6.13	680	21.7	5.60	0.0025	14.70	1.85	2.37	0.26	1.22	0.13	0.14	0.35	0.03	0.099	0.084	1.18	13.94	1.05	1.82
	6.20	2605	83.0	5.43	0.0037	3.50	0.24	0.38	0.08	0.24	0.03	0.01	0.03	0.00	0.020	0.013	1.50	3.46	1.01	0.23
	6.27	880	28.0	4.55	0.0282	23.00	2.66	1.97	0.54	1.01	0.27	0.04	0.09	0.02	0.103	0.102	1.01	22.86	1.01	2.59
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.11	0.0008	2.39	0.14	0.08	0.08	0.25	0.05	0.02	0.00	0.00	0.017	0.006	2.68	1.94	1.24	0.13
	月平均降水濃度			5.06	0.0087	9.45	1.01	1.04	0.21	0.56	0.10	0.04	0.09	0.01	0.051	0.044	1.16	9.27	1.02	0.99
	月雨水降水量	132.6		1.15	1.25	0.13	0.14	0.03	0.07	0.01	0.00	0.01	0.00	0.007	0.006		1.23		0.13	
	月全降水量		5.06	1.16	1.27	0.14	0.14	0.03	0.08	0.01	0.00	0.01	0.00	0.007	0.006	1.17	1.24	1.02	0.13	
	月全降水量		5.06	1.16	1.27	0.14	0.14	0.03	0.08	0.01	0.00	0.01	0.00	0.007	0.006	1.17	1.24	1.02	0.13	
7	7.04	1210	38.5	4.91	0.0123	15.08	2.08	1.37	0.28	0.91	0.12	0.07	0.10	0.00	0.075	0.073	1.02	14.35	1.05	2.05
	7.11	890	28.3	5.52	0.0030	11.06	1.97	1.01	0.24	1.00	0.14	0.07	0.07	0.00	0.070	0.064	1.09	10.74	1.03	1.93
	7.18	0	0.0	*****										*****	0.000		*****	0.00	0.00	
	7.25	488	15.5	4.79	0.0162	23.10	2.88	2.97	0.39	1.62	0.15	0.21	0.16	0.04	0.129	0.119	1.09	22.71	1.02	2.84
	8.01	120	3.8	6.18	0.0007	39.50	5.41	5.88	1.17	3.83	0.63	0.83	0.47	0.12	0.295	0.240	1.23	39.01	1.01	5.25
	洗浄水	200		6.42	0.0004	8.54	0.96	0.31	0.14	0.77	0.14	0.19	0.01	0.00	0.055	0.029	1.88	6.22	1.37	0.92
	月平均降水濃度			5.02	0.0094	16.29	2.34	1.74	0.33	1.20	0.15	0.13	0.12	0.01	0.093	0.086	1.08	15.76	1.03	2.30
	月雨水降水量	86.2		0.81	1.40	0.20	0.15	0.03	0.10	0.01	0.01	0.01	0.00	0.008	0.007		1.36		0.20	
	月全降水量		5.02	0.82	1.46	0.21	0.15	0.03	0.11	0.01	0.01	0.01	0.00	0.008	0.008	1.10	1.40	1.04	0.20	
	月全降水量		5.02	0.82	1.46	0.21	0.15	0.03	0.11	0.01	0.01	0.01	0.00	0.008	0.008	1.10	1.40	1.04	0.20	
8	8.08	70	2.2	7.21	0.0000	41.20	3.48	1.88	1.60	4.95	0.87	0.92	0.04	0.00	0.338	0.148	2.28	35.36	1.17	3.26
	8.15	0	0.0	*****										*****	0.000		*****	0.00	0.00	
	8.22	1010	32.2	6.19	0.0006	11.83	1.36	1.52	0.39	1.14	0.23	0.26	0.11	0.03	0.088	0.064	1.39	11.18	1.06	1.30
	8.29	540	17.2	4.75	0.0178	23.45	2.02	1.12	2.41	0.47	1.52	0.09	0.20	0.17	0.136	0.128	1.06	22.78	1.03	1.64
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.17	0.0007	3.68	0.26	0.18	0.19	0.43	0.13	0.21	0.00	0.00	0.036	0.014	2.60	3.72	0.99	0.23
	月平均降水濃度			5.20	0.0063	16.97	1.67	1.40	1.12	1.08	0.69	0.23	0.14	0.07	0.115	0.089	1.29	16.09	1.05	1.50
	月雨水降水量	51.6		0.33	0.88	0.09	0.07	0.06	0.06	0.04	0.01	0.00	0.00	0.006	0.005		0.83		0.08	
	月全降水量		5.19	0.33	0.90	0.09	0.07	0.06	0.06	0.04	0.01	0.00	0.00	0.006	0.005	1.32	0.85	1.05	0.08	
	月全降水量		5.19	0.33	0.90	0.09	0.07	0.06	0.06	0.04	0.01	0.00	0.00	0.006	0.005	1.32	0.85	1.05	0.08	
9	9.05	50	1.6	7.23	0.0000	33.10	1.82	1.84	0.61	4.21	0.31	0.91	0.00	0.00	0.270	0.085	3.19	26.04	1.27	1.74
	9.12	1400	44.6	4.32	0.0479	34.10	4.00	2.09	0.53	1.14	0.21	0.16	0.15	0.02	0.133	0.132	1.01	32.90	1.04	3.95
	9.19	1770	56.4	6.06	0.0009	3.98	0.31	0.44	0.13	0.50	0.07	0.03	0.00	0.00	0.032	0.017	1.88	3.86	1.03	0.29
	9.26	834	26.6	4.40	0.0398	28.10	2.86	2.41	0.60	0.86	0.33	0.08	0.16	0.04	0.115	0.115	1.00	27.79	1.01	2.78
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.95	0.0011	2.95	0.29	0.13	0.16	0.33	0.11	0.10	0.00	0.00	0.027	0.013	2.12	3.14	0.94	0.26
	月平均降水濃度			4.60	0.0251	19.70	2.13	1.43	0.37	0.84	0.17	0.10	0.08	0.02	0.087	0.078	1.12	19.08	1.03	2.08
	月雨水降水量	129.1		3.24	2.54	0.27	0.18	0.05	0.11	0.02	0.01	0.01	0.00	0.011	0.010		2.46		0.27	
	月全降水量		4.60	3.25	2.56	0.28	0.19	0.05	0.11	0.02	0.01	0.01	0.00	0.011	0.010	1.13	2.48	1.03	0.27	
	月全降水量		4.60	3.25	2.56	0.28	0.19	0.05	0.11	0.02	0.01	0.01	0.00	0.011	0.010	1.13	2.48	1.03	0.27	

酸性雨調査結果 勝山（濾過式）

（その2）

	採取日	採水量	降水量	pH	H+	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECcal	EC比	dSO ₄
単位	降水濃度	ml	mm		mg/ℓ	μS/cm	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	meq/ℓ	meq/ℓ		μS/cm		mg/ℓ
	降下物量		mm		mg/m ²	0.1mS	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	eq/m ²	eq/m ²		0.1mS		g/m ²
10月	10.03	2930	93.3	5.49	0.0032	3.21	0.18	0.21	0.18	0.09	0.09	0.00	0.00	0.00	0.012	0.012	0.99	2.62	1.22	0.16
	10.11	230	7.3	6.66	0.0002	18.95	1.77	1.94	0.91	1.64	0.62	0.61	0.14	0.05	0.145	0.094	1.54	17.04	1.11	1.61
	10.17	940	29.9	4.54	0.0288	22.10	2.41	1.06	0.89	0.46	0.51	0.05	0.12	0.06	0.089	0.092	0.96	20.94	1.06	2.28
	10.24	1990	63.4	4.71	0.0195	19.72	1.00	0.83	2.47	0.13	1.42	0.04	0.06	0.13	0.103	0.104	0.99	19.21	1.03	0.64
	10.31	352	11.2	5.51	0.0031	13.07	1.50	0.88	1.29	0.72	0.81	0.13	0.06	0.07	0.090	0.082	1.10	12.80	1.02	1.30
	洗浄水	200		5.62	0.0024	3.29	0.21	0.09	0.27	0.09	0.17	0.07	0.00	0.00	0.017	0.013	1.23	2.74	1.20	0.17
	月平均降水濃度		4.93	0.0119	12.17	0.89	0.62	1.08	0.25	0.62	0.05	0.04	0.05	0.060	0.059	1.03	11.49	1.06	0.73	
	月雨水降下量	205.2		2.44	2.50	0.18	0.13	0.22	0.05	0.13	0.01	0.01	0.01	0.012	0.012		2.36		0.15	
	月全降下量		4.92	2.45	2.52	0.18	0.13	0.22	0.05	0.13	0.01	0.01	0.01	0.013	0.012	1.03	2.37	1.06	0.15	
11月	11.07	1380	43.9	4.90	0.0126	21.00	1.20	0.68	3.17	0.17	1.92	0.07	0.12	0.20	0.130	0.125	1.04	20.25	1.04	0.72
	11.14	100	3.2	6.27	0.0005	41.90	5.30	5.12	2.80	3.17	2.00	0.43	0.60	0.25	0.325	0.272	1.19	41.91	1.00	4.80
	11.21	1380	43.9	4.91	0.0123	11.47	1.17	1.05	0.40	0.26	0.24	0.07	0.26	0.02	0.054	0.053	1.02	10.90	1.05	1.11
	11.28	1516	48.3	4.51	0.0309	27.00	2.14	1.10	2.24	0.39	1.28	0.07	0.11	0.12	0.125	0.125	1.00	25.83	1.05	1.82
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.40	0.0040	6.55	0.36	0.02	0.90	0.11	0.53	0.05	0.02	0.01	0.036	0.033	1.09	5.75	1.14	0.23
	月平均降水濃度		4.73	0.0186	20.55	1.61	1.04	1.97	0.34	1.17	0.08	0.17	0.12	0.109	0.106	1.03	19.73	1.04	1.32	
	月雨水降下量	139.4		2.59	2.86	0.22	0.15	0.27	0.05	0.16	0.01	0.02	0.02	0.015	0.015		2.75		0.18	
	月全降下量		4.73	2.61	2.91	0.23	0.15	0.28	0.05	0.17	0.01	0.02	0.02	0.015	0.015	1.03	2.79	1.04	0.18	
12月	12.05	1780	56.7	4.54	0.0288	49.60	3.36	1.80	6.84	0.57	4.41	0.23	0.29	0.51	0.315	0.292	1.08	47.95	1.03	2.25
	12.12	2030	64.6	4.47	0.0339	49.40	3.22	1.05	7.15	0.33	4.66	0.19	0.23	0.52	0.314	0.286	1.10	48.64	1.02	2.05
	12.19	3780	120.4	4.59	0.0257	37.50	2.42	0.87	5.37	0.31	3.45	0.12	0.16	0.37	0.234	0.216	1.09	36.69	1.02	1.55
	12.26	145	4.6	4.12	0.0759	78.10	7.39	5.47	5.40	1.25	4.45	0.36	0.72	0.56	0.430	0.394	1.09	76.83	1.02	6.27
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.45	0.0035	9.54	1.53	0.39	0.68	0.34	0.84	0.10	0.05	0.05	0.068	0.057	1.19	9.48	1.01	1.32
	月平均降水濃度		4.53	0.0295	44.17	2.94	1.22	6.18	0.39	4.01	0.17	0.22	0.45	0.277	0.255	1.09	43.17	1.02	1.93	
	月雨水降下量	246.3		7.27	10.88	0.72	0.30	1.52	0.10	0.99	0.04	0.05	0.11	0.068	0.063		10.63		0.48	
	月全降下量		4.53	7.29	10.94	0.73	0.30	1.53	0.10	0.99	0.04	0.05	0.11	0.069	0.063	1.09	10.69	1.02	0.48	
1月	1.04	2092	66.6	4.77	0.0170	21.90	1.64	0.53	2.80	0.14	1.72	0.01	0.08	0.18	0.119	0.122	0.97	20.68	1.06	1.21
	1.09	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	1.17	7210	229.6	4.64	0.0229	25.50	1.81	0.71	3.23	0.19	1.91	0.03	0.09	0.20	0.138	0.140	0.99	24.94	1.02	1.33
	1.23	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	1.30	3270	104.1	4.61	0.0245	29.00	2.32	1.17	2.96	0.31	1.82	0.05	0.16	0.20	0.147	0.151	0.97	26.85	1.08	1.86
	洗浄水	200		5.51	0.0031	6.70	0.61	0.11	0.88	0.08	0.73	0.04	0.02	0.02	0.043	0.039	1.09	6.26	1.07	0.43
	月平均降水濃度		4.65	0.0223	25.81	1.91	0.80	3.09	0.21	1.85	0.03	0.11	0.20	0.137	0.140	0.98	24.73	1.04	1.45	
	月雨水降下量	400.4		8.95	10.33	0.77	0.32	1.24	0.09	0.74	0.01	0.04	0.08	0.055	0.056		9.90		0.58	
	月全降下量		4.65	8.97	10.38	0.77	0.32	1.24	0.09	0.75	0.01	0.04	0.08	0.055	0.056	0.98	9.94	1.04	0.58	
2月	2.06	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	2.13	4150	132.2	4.60	0.0251	33.50	2.46	0.93	4.40	0.30	2.88	0.13	0.16	0.32	0.205	0.190	1.08	33.05	1.01	1.74
	2.20	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	2.27	1978	63.0	4.50	0.0316	44.40	4.01	1.40	5.09	0.60	3.55	0.17	0.23	0.40	0.268	0.250	1.07	43.25	1.03	3.12
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.27	0.0054	23.10	3.30	0.48	3.14	0.17	2.85	0.17	0.18	0.29	0.176	0.165	1.07	23.72	0.97	2.58
	月平均降水濃度		4.57	0.0272	37.02	2.96	1.08	4.62	0.40	3.10	0.14	0.18	0.35	0.225	0.209	1.07	36.34	1.02	2.18	
	月雨水降下量	195.2		5.31	7.22	0.58	0.21	0.90	0.08	0.60	0.03	0.04	0.07	0.044	0.041		7.09		0.43	
	月全降下量		4.56	5.35	7.37	0.60	0.21	0.92	0.08	0.62	0.03	0.04	0.07	0.045	0.042	1.07	7.24	1.02	0.44	
3月	3.06	1447	46.1	4.63	0.0234	27.70	2.77	1.28	2.60	0.53	1.71	0.10	0.28	0.19	0.159	0.152	1.05	27.63	1.00	2.34
	3.13	2310	73.6	4.94	0.0115	21.60	2.04	0.94	2.97	0.44	1.84	0.09	0.28	0.20	0.149	0.141	1.05	22.57	0.96	1.58
	3.21	740	23.6	5.10	0.0079	16.89	2.36	1.30	1.28	0.66	0.85	0.09	0.50	0.12	0.119	0.106	1.12	17.69	0.95	2.15
	3.27	722	23.0	4.69	0.0204	35.50	5.01	4.46	1.14	1.60	0.68	0.25	1.39	0.20	0.231	0.208	1.11	36.56	0.97	4.84
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.59	0.0026	2.98	0.21	0.00	0.12	0.24	0.07	0.30	0.00	0.00	0.027	0.008	3.43	3.20	0.93	0.19
	月平均降水濃度		4.81	0.0155	24.55	2.70	1.57	2.37	0.66	1.50	0.11	0.46	0.19	0.159	0.149	1.07	25.22	0.97	2.32	
	月雨水降下量	166.2		2.58	4.08	0.45	0.26	0.39	0.11	0.25	0.02	0.08	0.03	0.026	0.025		4.19		0.39	
	月全降下量		4.81	2.60	4.10	0.45	0.26	0.40	0.11	0.25	0.02	0.08	0.03	0.027	0.025	1.07	4.21	0.97	0.39	
年	年平均降水濃度		4.75	0.0179	23.65	2.04	1.13	2.43	0.47	1.53	0.09	0.20	0.17	0.137	0.129	1.06	22.94	1.03	1.65	
	年雨水降下量	2040		36.4	48.23	4.16	2.30	4.97	0.96	3.12	0.19	0.41	0.34	0.279	0.264		46.80		3.37	
	年全降下量		4.75	36.6	48.73	4.21	2.31	5.01	0.98	3.15	0.20	0.41	0.35	0.282	0.266	1.06	47.26	1.03	3.42	

表2.6 酸性雨調査結果 敦賀(濾過式)

(その1)

採取日	採水量	降水量	pH	H ⁺	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECcal	EC比	dSO ₄	
単位	降水濃度	mm		mg/l	μS/cm	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	μS/cm		mg/l	
	降下物量			mg/m ²	0.1mS	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	0.1mS		g/m ²	
4	4.04	539	17.2	4.69	0.0204	22.80	2.31	2.72	0.86	0.60	0.56	0.07	0.42	0.08	0.107	0.116	0.92	21.37	1.07	2.17
	4.11	202	6.4	4.75	0.0178	30.00	2.68	4.65	1.14	1.20	0.67	0.23	0.67	0.09	0.160	0.163	0.98	27.67	1.08	2.51
	4.18	660	21.0	4.91	0.0123	17.14	1.81	1.10	1.33	0.35	0.79	0.10	0.21	0.08	0.086	0.093	0.92	15.76	1.09	1.61
	4.25	719	22.9	6.19	0.0006	12.34	1.42	1.60	0.72	0.51	0.46	0.06	0.54	0.06	0.082	0.076	1.09	11.05	1.12	1.30
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.61	0.0025	3.94	0.51	0.17	0.18	0.28	0.07	0.03	0.00	0.00	0.022	0.018	1.18	3.64	1.08	0.49
	月平均雨水濃度			4.96	0.0109	18.18	1.89	2.02	0.99	0.55	0.61	0.09	0.42	0.07	0.097	0.100	0.97	16.72	1.09	1.74
	月雨水降下量	67.5		0.74	1.23	0.13	0.14	0.07	0.04	0.04	0.00	0.03	0.00	0.007	0.007		1.13		0.12	
	月全降下量			4.95	0.75	1.25	0.13	0.14	0.07	0.04	0.00	0.03	0.00	0.007	0.007	0.98	1.15	1.09	0.12	
	月																			
5	5.02	348	11.1	4.67	0.0214	64.20	11.74	7.11	1.27	3.11	0.73	0.32	3.12	0.29	0.413	0.395	1.05	63.37	1.01	11.56
	5.09	378	12.0	6.36	0.0004	41.80	4.79	2.42	5.15	0.91	3.14	0.61	1.40	0.44	0.309	0.284	1.09	39.79	1.05	4.00
	5.16	1920	61.1	5.35	0.0045	8.07	0.96	0.91	0.37	0.29	0.22	0.02	0.23	0.02	0.044	0.045	0.97	7.48	1.08	0.90
	5.23	185	5.9	5.41	0.0039	42.20	6.71	3.63	2.22	2.16	1.36	0.29	1.62	0.23	0.290	0.261	1.11	39.63	1.06	6.37
	5.30	689	21.9	6.48	0.0003	15.01	1.53	1.50	0.69	0.84	0.61	0.28	0.51	0.12	0.116	0.076	1.54	13.20	1.14	1.38
	洗浄水	200		6.20	0.0006	6.73	0.87	0.62	0.22	0.21	0.19	0.10	0.24	0.01	0.036	0.034	1.05	5.07	1.33	0.82
	月平均雨水濃度			5.31	0.0049	20.39	2.85	1.94	1.13	0.84	0.72	0.18	0.77	0.12	0.136	0.123	1.11	19.28	1.06	2.67
	月雨水降下量	112.1		0.55	2.29	0.32	0.22	0.13	0.09	0.08	0.02	0.09	0.01	0.015	0.014		2.16		0.30	
	月全降下量			5.31	0.55	2.33	0.33	0.22	0.13	0.10	0.08	0.02	0.09	0.01	0.015	0.014	1.11	2.19	1.06	0.30
	月																			
6	6.06	0	0.0	*****										*****	0.000		*****	0.00	0.00	
	6.13	290	9.2	4.96	0.0110	25.50	3.15	4.49	0.41	1.39	0.23	0.17	0.98	0.10	0.160	0.150	1.07	24.98	1.02	3.09
	6.20	1580	50.3	4.74	0.0182	14.25	1.40	1.14	0.42	0.41	0.23	0.02	0.12	0.01	0.058	0.059	0.98	13.53	1.05	1.34
	6.27	836	26.6	4.51	0.0309	39.50	2.97	1.85	4.76	0.63	2.79	0.10	0.19	0.31	0.225	0.226	0.99	38.90	1.02	2.27
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.73	0.0019	11.05	2.34	0.92	0.14	0.90	0.15	0.06	0.16	0.00	0.068	0.068	1.00	10.50	1.05	2.30
	月平均雨水濃度			4.67	0.0213	23.26	2.07	1.72	1.76	0.58	1.02	0.06	0.23	0.11	0.121	0.121	1.00	22.59	1.03	1.82
	月雨水降下量	86.2		1.84	2.00	0.18	0.15	0.15	0.05	0.09	0.00	0.02	0.01	0.010	0.010		1.95		0.16	
	月全降下量			4.67	1.85	2.07	0.19	0.15	0.15	0.06	0.09	0.00	0.02	0.01	0.011	0.011	1.00	2.01	1.03	0.17
	月																			
7	7.04	565	18.0	4.79	0.0162	14.81	1.90	0.78	0.51	0.54	0.30	0.02	0.08	0.02	0.065	0.067	0.98	14.05	1.05	1.82
	7.11	1360	43.3	4.79	0.0162	14.90	2.13	0.87	0.26	0.58	0.15	0.13	0.15	0.00	0.066	0.066	1.00	14.17	1.05	2.09
	7.18	0	0.0	*****										*****	0.000		*****	0.00	0.00	
	7.25	0	0.0	*****										*****	0.000		*****	0.00	0.00	
	8.01	0	0.0	*****										*****	0.000		*****	0.00	0.00	
	洗浄水	200		6.38	0.0004	17.40	2.10	2.25	0.80	0.24	0.86	0.37	0.72	0.06	0.101	0.103	0.99	13.91	1.25	1.88
	月平均雨水濃度			4.79	0.0162	14.87	2.06	0.84	0.33	0.57	0.19	0.10	0.13	0.00	0.066	0.066	0.99	14.13	1.05	2.01
	月雨水降下量	61.3		0.99	0.91	0.13	0.05	0.02	0.03	0.01	0.00	0.00	0.00	0.004	0.004		0.87		0.12	
	月全降下量			4.79	1.00	1.02	0.14	0.07	0.03	0.04	0.02	0.00	0.01	0.00	0.005	0.005	0.99	0.96	1.07	0.14
	月																			
8	8.08	0	0.0	*****										*****	0.000		*****	0.00	0.00	
	8.15	44	1.4	6.92	0.0001	61.20	5.40	5.15	6.88	2.41	4.53	1.09	1.90	0.45	0.490	0.390	1.26	59.14	1.03	4.26
	8.22	1760	56.1	5.36	0.0044	6.67	0.65	0.61	0.51	0.20	0.32	0.00	0.16	0.02	0.039	0.038	1.03	6.49	1.03	0.57
	8.29	0	0.0	*****										*****	0.000		*****	0.00	0.00	
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.96	0.0011	1.20	0.00	0.02	0.04	0.14	0.01	0.00	0.00	0.00	0.009	0.001	6.40	1.09	1.11	0.00
	月平均雨水濃度			5.37	0.0043	8.00	0.77	0.72	0.67	0.25	0.42	0.03	0.20	0.03	0.050	0.046	1.08	7.77	1.03	0.66
	月雨水降下量	57.5		0.24	0.46	0.04	0.04	0.04	0.01	0.02	0.00	0.01	0.00	0.003	0.003		0.45		0.04	
	月全降下量			5.36	0.25	0.47	0.04	0.04	0.04	0.02	0.02	0.00	0.01	0.00	0.003	0.003	1.10	0.45	1.03	0.04
	月																			
9	9.05	497	15.8	5.38	0.0042	7.17	0.97	0.63	0.32	0.34	0.21	0.09	0.10	0.01	0.040	0.039	1.02	6.84	1.05	0.92
	9.12	350	11.1	4.09	0.0813	58.20	6.39	3.62	1.86	1.13	1.00	0.19	0.63	0.12	0.234	0.244	0.96	56.80	1.02	6.14
	9.19	4750	151.3	5.13	0.0074	5.50	0.52	0.33	0.19	0.21	0.11	0.00	0.01	0.00	0.024	0.022	1.13	5.37	1.02	0.49
	9.26	920	29.3	4.20	0.0631	52.30	4.32	3.60	3.61	0.97	2.11	0.12	0.41	0.24	0.252	0.250	1.01	52.24	1.00	3.79
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.42	0.0004	9.38	0.59	0.25	1.19	0.32	1.15	0.43	0.02	0.00	0.080	0.050	1.61	8.65	1.08	0.30
	月平均雨水濃度			4.72	0.0190	15.06	1.41	0.99	0.77	0.38	0.45	0.03	0.11	0.04	0.069	0.067	1.03	14.86	1.01	1.29
	月雨水降下量	207.5		3.94	3.13	0.29	0.21	0.16	0.08	0.09	0.00	0.02	0.00	0.014	0.014		3.08		0.27	
	月全降下量			4.72	3.94	3.19	0.30	0.21	0.17	0.08	0.10	0.01	0.02	0.00	0.015	0.014	1.04	3.14	1.01	0.27
	月																			

酸性雨調査結果 敦賀（濾過式）

（その2）

採取日	採水量	降水量	pH	H+	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECcal	EC比	dSO ₄	
単位	降水濃度	mℓ	mm	mg/ℓ	μS/cm	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	μS/cm		mg/ℓ	
	降下物量		mm	mg/m ²	0.1mS	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	0.1mS		g/m ²	
10	10.03	3220	102.5	4.73	0.0186	17.93	1.33	0.59	1.83	0.16	1.05	0.04	0.08	0.10	0.086	0.089	0.97	17.04	1.05	1.07
	10.11	225	7.2	4.67	0.0214	48.20	5.08	4.35	4.68	1.09	3.26	0.23	1.00	0.42	0.314	0.308	1.02	47.82	1.01	4.26
	10.17	410	13.1	4.13	0.0741	72.90	6.90	4.64	5.37	1.22	3.45	0.24	0.92	0.41	0.378	0.370	1.02	71.81	1.02	6.03
	10.24	1330	42.4	4.51	0.0309	22.50	1.76	0.98	1.42	0.28	0.80	0.02	0.11	0.06	0.092	0.093	1.00	21.44	1.05	1.56
	10.31	75	2.4	5.02	0.0095	72.40	5.68	3.84	12.54	1.01	8.23	0.51	1.18	0.88	0.568	0.534	1.06	74.59	0.97	3.61
	洗浄水	200		5.55	0.0028	9.84	0.84	0.32	1.48	0.19	0.98	0.05	0.08	0.06	0.066	0.064	1.03	9.45	1.04	0.59
	月平均降水濃度			4.58	0.0260	25.44	2.10	1.21	2.28	0.32	1.37	0.07	0.21	0.14	0.127	0.127	1.00	24.56	1.04	1.75
	月雨水降下量	167.5		4.36		4.26	0.35	0.20	0.38	0.05	0.23	0.01	0.03	0.02	0.021	0.021		4.11		0.29
	月全降下量			4.58		4.38	0.36	0.20	0.39	0.06	0.24	0.01	0.04	0.02	0.022	0.022	1.00	4.17	1.04	0.30
	月																			
11	11.07	900	28.7	4.80	0.0158	26.60	1.84	1.46	3.42	0.27	2.14	0.10	0.35	0.24	0.164	0.158	1.03	25.70	1.04	1.30
	11.14	0	0.0		*****										*****	0.000		*****	0.00	0.00
	11.21	710	22.6	4.51	0.0309	29.80	2.61	2.69	1.75	0.65	1.09	0.11	0.37	0.11	0.145	0.147	0.98	28.84	1.03	2.34
	11.28	1325	42.2	4.57	0.0269	47.40	3.55	1.20	6.62	0.62	4.27	0.23	0.30	0.47	0.307	0.280	1.09	46.18	1.03	2.48
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.52	0.0030	10.69	0.76	0.18	1.74	0.24	1.06	0.08	0.06	0.06	0.072	0.068	1.07	10.16	1.05	0.49
	月平均降水濃度			4.61	0.0245	36.76	2.80	1.64	4.46	0.52	2.85	0.16	0.33	0.31	0.224	0.211	1.06	35.70	1.03	2.08
	月雨水降下量	93.5		2.29		3.44	0.26	0.15	0.42	0.05	0.27	0.02	0.03	0.03	0.021	0.020		3.34		0.19
	月全降下量			4.61		2.31	0.27	0.15	0.43	0.05	0.27	0.02	0.03	0.03	0.021	0.020	1.06	3.40	1.03	0.20
	月																			
12	12.05	1710	54.5	4.49	0.0324	71.90	4.02	1.74	12.62	0.45	8.39	0.30	0.46	0.91	0.528	0.468	1.13	73.22	0.98	1.91
	12.12	1510	48.1	4.44	0.0363	63.70	3.74	1.22	10.38	0.39	6.83	0.28	0.35	0.74	0.441	0.390	1.13	63.96	1.00	2.03
	12.19	2530	80.6	4.54	0.0288	72.20	3.93	1.30	13.41	0.41	8.88	0.31	0.45	0.94	0.546	0.481	1.13	74.06	0.97	1.70
	12.26	600	19.1	4.13	0.0741	66.70	5.88	3.25	4.76	1.22	2.96	0.26	0.58	0.39	0.338	0.309	1.09	65.06	1.03	5.14
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.51	0.0031	14.64	1.66	1.37	1.35	0.92	0.89	0.07	0.14	0.06	0.107	0.095	1.12	14.83	0.99	1.44
	月平均降水濃度			4.45	0.0358	69.58	4.09	1.58	11.66	0.49	7.70	0.30	0.44	0.83	0.496	0.440	1.13	70.58	0.99	2.16
	月雨水降下量	202.2		7.25		14.07	0.83	0.32	2.36	0.10	1.56	0.06	0.09	0.17	0.100	0.089		14.27		0.44
	月全降下量			4.44		7.27	0.84	0.33	2.37	0.11	1.56	0.06	0.09	0.17	0.101	0.090	1.13	14.37	0.99	0.45
	月																			
1	1.04	2265	72.1	4.56	0.0275	39.20	2.71	0.90	5.55	0.25	3.39	0.07	0.21	0.37	0.232	0.227	1.02	37.92	1.03	1.86
	1.09	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	1.17	4570	145.5	4.44	0.0363	56.60	3.95	1.27	8.68	0.45	5.15	0.18	0.34	0.59	0.355	0.348	1.02	56.42	1.00	2.66
	1.23	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	1.30	3182	101.3	4.53	0.0295	39.40	2.96	1.36	4.80	0.45	2.80	0.09	0.25	0.30	0.216	0.219	0.99	37.32	1.06	2.26
	洗浄水	200		5.40	0.0040	7.00	0.54	0.16	0.86	0.18	0.57	0.13	0.06	0.01	0.046	0.038	1.21	6.77	1.03	0.40
	月平均降水濃度			4.49	0.0322	47.20	3.36	1.21	6.74	0.40	4.01	0.13	0.28	0.45	0.283	0.280	1.01	46.17	1.02	2.35
	月雨水降下量	319.0		10.26		15.06	1.07	0.39	2.15	0.13	1.28	0.04	0.09	0.14	0.090	0.089		14.73		0.75
	月全降下量			4.49		10.29	1.07	0.39	2.16	0.13	1.28	0.04	0.09	0.14	0.091	0.089	1.01	14.77	1.02	0.75
	月																			
2	2.06	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	2.13	3740	119.1	4.46	0.0347	59.50	3.92	1.16	9.44	0.46	6.31	0.24	0.40	0.68	0.417	0.367	1.14	60.56	0.98	2.34
	2.20	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	2.27	622	19.8	4.69	0.0204	69.40	6.52	3.15	10.05	1.26	6.63	0.32	1.39	0.75	0.518	0.470	1.10	70.87	0.98	4.86
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.56	0.0028	5.66	0.41	0.10	0.77	0.25	0.47	0.04	0.01	0.00	0.039	0.032	1.21	5.57	1.02	0.29
	月平均降水濃度			4.49	0.0326	60.91	4.29	1.44	9.53	0.57	6.36	0.25	0.54	0.69	0.431	0.381	1.13	62.03	0.98	2.70
	月雨水降下量	138.9		4.53		8.46	0.60	0.20	1.32	0.08	0.88	0.03	0.08	0.10	0.060	0.053		8.62		0.37
	月全降下量			4.48		4.55	0.60	0.20	1.33	0.08	0.89	0.04	0.08	0.10	0.060	0.053	1.13	8.65	0.98	0.38
	月																			
3	3.06	450	14.3	5.25	0.0056	64.20	5.81	3.32	10.84	0.79	7.37	0.28	2.19	0.81	0.553	0.480	1.15	68.67	0.93	3.96
	3.13	1850	58.9	5.24	0.0058	52.30	4.32	2.02	9.51	0.72	6.41	0.29	1.07	0.72	0.445	0.391	1.14	55.79	0.94	2.71
	3.21	1160	36.9	5.94	0.0011	25.60	3.05	1.58	3.48	0.65	2.17	0.14	1.16	0.27	0.215	0.187	1.15	27.06	0.95	2.51
	3.27	249	7.9	6.28	0.0005	41.50	6.43	5.13	2.72	1.18	1.64	0.30	3.54	0.37	0.352	0.293	1.20	43.74	0.95	6.02
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.53	0.0003	14.34	1.42	1.06	0.68	0.52	0.46	0.17	1.46	0.09	0.134	0.066	2.03	13.32	1.08	1.30
	月平均降水濃度			5.40	0.0039	44.67	4.25	2.25	7.33	0.74	4.88	0.24	1.40	0.57	0.380	0.331	1.15	47.56	0.94	3.02
	月雨水降下量	118.1		0.47		5.28	0.50	0.27	0.87	0.09	0.58	0.03	0.17	0.07	0.045	0.039		5.62		0.36
	月全降下量			5.40		5.37	0.51	0.27	0.87	0.09	0.58	0.03	0.17	0.07	0.046	0.040	1.16	5.70	0.94	0.37
	年																			
年	年平均降水濃度			4.64	0.0230	37.13	2.88	1.43	4.94	0.50	3.14	0.14	0.41	0.35	0.240	0.222	1.08	36.98	1.00	2.09
	年雨水降下量	1631		37.5		60.58	4.70	2.33	8.06	0.81	5.13	0.24	0.66	0.57	0.391	0.363		60.32		3.41
	年全降下量			4.64		37.6	4.77	2.38	8.12	0.84	5.17	0.25	0.68	0.57	0.396	0.367	1.08	60.98	1.01	3.47

表2.7 酸性雨調査結果 越廼(濾過式)

(その1)

採取日	採取量	降水量	pH	H ⁺	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECcal	EC比	dSO ₄	
単位	降水濃度	mm		mg/l	μS/cm	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	μS/cm		mg/l	
	降下物量	mm		mg/m ²	0.1mS	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	0.1mS		g/m ²	
4	4.04	318	10.1	4.45	0.0355	40.80	3.02	3.76	3.40	0.52	1.99	0.15	0.64	0.29	0.211	0.219	0.96	39.00	1.05	2.52
	4.11	240	7.6	8.05	0.0000	222.00	9.81	3.36	3.81	56.19	1.53	8.61	0.94	0.52	3.491	0.366	9.54	282.09	0.79	9.43
	4.18	1500	47.8	5.34	0.0046	11.68	1.02	0.52	1.52	0.20	0.92	0.04	0.12	0.09	0.070	0.072	0.97	10.82	1.08	0.79
	4.25	585	18.6	6.29	0.0005	18.89	1.46	1.52	2.52	0.47	1.57	0.18	0.50	0.18	0.139	0.126	1.10	17.74	1.06	1.07
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.73	0.0019	6.70	0.35	0.25	1.00	0.38	0.48	0.41	0.04	0.00	0.056	0.040	1.42	7.16	0.94	0.23
	月平均降水濃度			5.16	0.0070	35.88	2.16	1.39	2.18	5.38	1.25	0.86	0.34	0.17	0.413	0.129	3.21	40.37	0.89	1.84
	月雨水降下量	84.2			0.59	3.02	0.18	0.12	0.18	0.45	0.11	0.07	0.03	0.01	0.035	0.011		3.40		0.16
	月全降下量			5.15	0.60	3.06	0.18	0.12	0.19	0.46	0.11	0.08	0.03	0.01	0.035	0.011	3.17	3.44	0.89	0.16
	月																			
5	5.02	778	24.8	5.14	0.0072	25.30	4.64	2.32	0.81	1.18	0.51	0.15	1.00	0.10	0.157	0.157	1.00	24.29	1.04	4.51
	5.09	335	10.7	6.44	0.0004	57.60	6.11	3.68	7.63	0.93	4.77	0.47	2.23	0.65	0.436	0.402	1.09	55.51	1.04	4.91
	5.16	1525	48.6	5.82	0.0015	14.80	1.30	0.87	2.12	0.36	1.29	0.11	0.24	0.14	0.104	0.101	1.03	14.07	1.05	0.98
	5.23	60	1.9	6.17	0.0007	140.40	13.39	6.43	21.76	3.97	14.65	1.12	2.24	1.60	1.130	0.996	1.13	140.67	1.00	9.71
	5.30	1685	53.7	5.59	0.0026	9.01	0.89	0.78	0.72	0.21	0.55	0.07	0.30	0.07	0.061	0.051	1.18	8.21	1.10	0.75
	洗浄水	200		6.16	0.0007	7.89	0.63	0.93	0.53	0.12	0.40	0.06	0.41	0.06	0.052	0.043	1.20	6.46	1.22	0.53
	月平均降水濃度			5.55	0.0028	19.43	2.27	1.38	2.04	0.54	1.32	0.14	0.58	0.16	0.136	0.127	1.07	18.53	1.05	1.94
	月雨水降下量	139.6			0.40	2.71	0.32	0.19	0.28	0.08	0.18	0.02	0.08	0.02	0.019	0.018		2.59		0.27
	月全降下量			5.54	0.40	2.76	0.32	0.20	0.29	0.08	0.19	0.02	0.08	0.02	0.019	0.018	1.07	2.63	1.05	0.27
	月																			
6	6.06	0	0.0		*****										*****	0.000		*****	0.00	0.00
	6.13	125	4.0	8.05	0.0000	412.00	14.78	9.51	5.93	39.24	1.75	64.55	1.02	0.77	4.016	0.628	6.39	339.89	1.21	14.34
	6.20	1410	44.9	7.24	0.0000	82.20	3.31	1.34	1.23	5.82	0.54	2.72	0.81	0.27	0.478	0.125	3.82	43.33	1.90	3.17
	6.27	1265	40.3	5.17	0.0068	27.70	3.41	2.14	2.38	1.55	1.38	0.22	0.23	0.18	0.185	0.173	1.07	26.85	1.03	3.06
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.10	0.0008	5.93	0.63	0.41	0.31	0.49	0.23	0.06	0.04	0.00	0.041	0.028	1.46	5.20	1.14	0.57
	月平均降水濃度			5.51	0.0031	72.30	3.87	2.07	1.96	5.38	0.97	4.35	0.56	0.25	0.504	0.169	2.98	49.12	1.47	3.62
	月雨水降下量	89.2			0.27	6.45	0.34	0.18	0.17	0.48	0.09	0.39	0.05	0.02	0.045	0.015		4.38		0.32
	月全降下量			5.50	0.28	6.48	0.35	0.19	0.18	0.48	0.09	0.39	0.05	0.02	0.045	0.015	2.96	4.41	1.47	0.33
	月																			
7	7.04	790	25.2	7.11	0.0000	52.80	5.23	2.20	2.32	3.29	1.68	1.02	0.83	0.29	0.347	0.210	1.65	38.99	1.35	4.81
	7.11	510	16.2	6.03	0.0009	20.20	3.79	1.94	0.58	1.69	0.54	0.13	0.31	0.07	0.143	0.127	1.13	19.66	1.03	3.65
	7.18	0	0.0		*****										*****	0.000		*****	0.00	0.00
	7.25	0	0.0		*****										*****	0.000		*****	0.00	0.00
	8.01	144	4.6	7.39	0.0000	91.30	6.77	6.18	2.56	5.68	1.75	5.86	1.04	0.50	0.634	0.313	2.03	67.19	1.36	6.33
	洗浄水	200		6.10	0.0008	6.44	0.73	0.27	0.21	0.16	0.22	0.30	0.04	0.00	0.029	0.025	1.13	4.07	1.58	0.67
	月平均降水濃度			6.42	0.0004	45.13	4.87	2.51	1.73	2.96	1.28	1.19	0.67	0.23	0.303	0.191	1.59	34.98	1.29	4.55
	月雨水降下量	46.0			0.02	2.08	0.22	0.12	0.08	0.14	0.06	0.05	0.03	0.01	0.014	0.009		1.61		0.21
	月全降下量			6.31	0.02	2.12	0.23	0.12	0.08	0.14	0.06	0.06	0.03	0.01	0.014	0.009	1.58	1.63	1.29	0.21
	月																			
8	8.08	0	0.0		*****										*****	0.000		*****	0.00	0.00
	8.15	246	7.8	4.35	0.0447	52.60	6.19	5.79	1.19	2.22	0.68	0.44	0.75	0.21	0.263	0.256	1.03	49.68	1.06	6.02
	8.22	1250	39.8	4.88	0.0132	16.84	1.19	1.37	1.59	0.37	0.91	0.06	0.20	0.07	0.091	0.092	0.99	16.10	1.05	0.96
	8.29	538	17.1	5.42	0.0038	20.60	1.42	1.33	3.30	0.58	2.01	0.12	0.09	0.20	0.147	0.144	1.02	20.45	1.01	0.92
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.98	0.0010	5.39	0.35	0.88	0.34	0.17	0.45	0.08	0.06	0.00	0.035	0.031	1.13	4.70	1.15	0.24
	月平均降水濃度			4.84	0.0145	22.16	1.86	1.89	1.99	0.65	1.17	0.12	0.24	0.12	0.126	0.125	1.01	21.31	1.04	1.56
	月雨水降下量	64.8			0.94	1.44	0.12	0.12	0.13	0.04	0.08	0.00	0.02	0.00	0.008	0.008		1.38		0.10
	月全降下量			4.84	0.95	1.47	0.12	0.13	0.13	0.04	0.08	0.00	0.02	0.00	0.008	0.008	1.01	1.41	1.04	0.10
	月																			
9	9.05	610	19.4	5.55	0.0028	11.62	1.36	1.37	0.82	0.63	0.50	0.12	0.25	0.06	0.080	0.074	1.09	11.48	1.01	1.23
	9.12	1280	40.8	4.15	0.0708	45.60	4.18	2.00	1.99	0.55	1.09	0.06	0.16	0.11	0.167	0.175	0.95	44.01	1.04	3.91
	9.19	2970	94.6	5.07	0.0085	6.38	0.46	0.42	0.37	0.19	0.21	0.00	0.02	0.00	0.029	0.027	1.09	6.32	1.01	0.41
	9.26	806	25.7	7.65	0.0000	150.30	3.78	0.86	5.80	1.83	3.25	11.77	3.19	11.08	1.615	0.256	6.30	114.31	1.31	2.96
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.34	0.0005	16.34	0.89	0.42	3.03	0.14	2.00	0.20	0.08	0.16	0.117	0.111	1.06	14.89	1.10	0.39
	月平均降水濃度			4.68	0.0208	36.28	1.87	0.94	1.56	0.55	0.87	1.70	0.53	1.61	0.291	0.098	2.97	30.75	1.18	1.65
	月雨水降下量	180.4			3.75	6.55	0.34	0.17	0.28	0.10	0.16	0.31	0.10	0.29	0.053	0.018		5.55		0.30
	月全降下量			4.68	3.75	6.65	0.34	0.17	0.30	0.10	0.17	0.31	0.10	0.29	0.053	0.018	2.90	5.64	1.18	0.30
	月																			

酸性雨調査結果 越廼（濾過式）

（その2）

採取日	採水量	降水量	pH	H ⁺	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECcal	EC比	dSO ₄	
単位	降下濃度	ml	mm	mg/l	μS/cm	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	μS/cm		mg/l	
	降下物量		mm	mg/m ²	0.1mS	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	0.1mS		g/m ²	
10月	10.03	1370	43.6	6.17	0.0007	23.70	1.06	0.60	4.51	0.49	2.66	0.17	0.13	0.31	0.180	0.159	1.13	22.26	1.06	0.39
	10.11	310	9.9	5.70	0.0020	46.80	4.16	4.02	6.28	1.80	3.92	0.41	0.48	0.50	0.348	0.329	1.06	46.05	1.02	3.18
	10.17	1025	32.6	4.69	0.0204	35.00	2.71	1.19	4.94	0.41	3.01	0.15	0.28	0.35	0.221	0.215	1.03	34.54	1.01	1.95
	10.24	1220	38.9	4.50	0.0316	35.00	2.21	1.19	4.40	0.28	2.63	0.11	0.14	0.29	0.195	0.189	1.03	34.35	1.02	1.55
	10.31	281	8.9	5.19	0.0065	154.30	6.88	2.55	37.17	0.44	20.34	0.94	1.75	2.35	1.220	1.233	0.99	160.06	0.96	1.77
	洗浄水	200		5.51	0.0031	12.60	0.67	0.23	2.41	0.12	1.51	0.09	0.04	0.11	0.089	0.086	1.04	12.20	1.03	0.29
	月平均雨水濃度			4.83	0.0149	40.16	2.41	1.30	6.90	0.50	4.01	0.22	0.30	0.46	0.276	0.266	1.04	39.72	1.01	1.41
	月雨水降下量	133.9			2.00	5.38	0.32	0.17	0.92	0.07	0.54	0.03	0.04	0.06	0.037	0.036		5.32		0.19
	月全降下量			4.82	2.02	5.46	0.33	0.18	0.94	0.07	0.55	0.03	0.04	0.06	0.038	0.036	1.04	5.40	1.01	0.19
11月	11.07	815	26.0	4.84	0.0145	39.90	2.09	1.25	6.99	0.17	4.35	0.21	0.49	0.48	0.282	0.261	1.08	39.15	1.02	1.00
	11.14	0	0.0		*****										*****	0.000		*****	0.00	0.00
	11.21	1040	33.1	4.80	0.0158	32.40	3.00	2.28	3.68	0.57	2.52	0.16	0.50	0.29	0.210	0.203	1.03	31.96	1.01	2.37
	11.28	1129	36.0	4.61	0.0245	59.40	3.56	1.36	10.20	0.44	6.84	0.26	0.35	0.72	0.430	0.384	1.12	59.42	1.00	1.84
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.60	0.0025	23.10	1.26	0.00	4.64	0.09	3.09	0.16	0.19	0.29	0.179	0.157	1.14	22.20	1.04	0.48
	月平均雨水濃度			4.73	0.0188	44.66	2.96	1.65	7.05	0.41	4.65	0.21	0.44	0.50	0.313	0.287	1.09	44.32	1.01	1.80
	月雨水降下量	95.0			1.78	4.24	0.28	0.16	0.67	0.04	0.44	0.02	0.04	0.05	0.030	0.027		4.21		0.17
	月全降下量			4.72	1.80	4.39	0.29	0.16	0.70	0.04	0.46	0.02	0.04	0.05	0.031	0.028	1.09	4.35	1.01	0.17
12月	12.05	580	18.5	4.42	0.0380	153.70	7.53	2.18	34.27	0.46	24.04	0.79	0.96	2.32	1.368	1.159	1.18	170.89	0.90	1.50
	12.12	730	23.2	4.47	0.0339	201.00	8.99	1.41	48.73	0.26	28.13	1.05	1.19	3.27	1.627	1.585	1.03	215.55	0.93	1.93
	12.19	2150	68.5	4.48	0.0331	167.80	7.25	1.53	39.57	0.27	28.36	0.81	0.95	2.65	1.568	1.292	1.21	189.47	0.89	0.13
	12.26	226	7.2	4.12	0.0759	128.50	8.04	5.43	19.74	1.00	13.43	0.65	1.31	1.50	0.921	0.812	1.13	133.71	0.96	4.67
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.32	0.0048	20.70	2.11	1.25	2.88	0.38	2.21	0.13	0.22	0.21	0.154	0.145	1.06	21.01	0.99	1.56
	月平均雨水濃度			4.44	0.0367	169.75	7.69	1.85	39.33	0.34	26.72	0.84	1.02	2.65	1.509	1.299	1.16	188.29	0.90	0.98
	月雨水降下量	117.4			4.30	19.93	0.90	0.22	4.62	0.04	3.14	0.10	0.12	0.31	0.177	0.153		22.10		0.12
	月全降下量			4.43	4.33	20.06	0.92	0.22	4.64	0.04	3.15	0.10	0.12	0.31	0.178	0.153	1.16	22.24	0.90	0.13
1月	1.04	3080	98.1	4.61	0.0245	47.90	2.97	0.58	8.33	0.12	5.04	0.13	0.29	0.55	0.313	0.306	1.02	47.12	1.02	1.70
	1.09	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	1.17	4660	148.4	4.44	0.0363	186.00	8.22	1.25	47.47	0.15	25.41	0.85	1.04	2.91	1.463	1.530	0.96	203.45	0.91	1.84
	1.23	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	1.30	2820	89.8	4.48	0.0331	125.00	6.47	1.68	26.61	0.32	15.24	0.54	0.83	1.79	0.916	0.912	1.00	127.42	0.98	2.64
	洗浄水	200		5.11	0.0078	77.98	2.25	0.11	13.57	0.06	7.99	0.28	0.27	0.87	0.451	0.431	1.05	58.60	1.33	0.24
	月平均雨水濃度			4.49	0.0320	129.43	6.22	1.17	30.48	0.19	16.75	0.56	0.77	1.92	0.982	1.008	0.97	137.55	0.94	2.02
	月雨水降下量	336.3			10.77	43.53	2.09	0.39	10.25	0.06	5.63	0.19	0.26	0.65	0.330	0.339		46.26		0.68
	月全降下量			4.49	10.82	44.03	2.11	0.39	10.34	0.06	5.68	0.19	0.26	0.65	0.333	0.342	0.97	46.63	0.94	0.68
2月	2.06	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	2.13	2080	66.2	5.22	0.0060	203.00	9.29	1.42	52.05	0.64	28.95	1.22	1.38	3.43	1.683	1.685	1.00	218.39	0.93	2.02
	2.20	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	2.27	830	26.4	4.37	0.0427	148.60	8.95	3.20	30.80	0.92	21.52	0.73	1.06	2.10	1.274	1.107	1.15	164.19	0.91	3.55
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.21	0.0062	23.10	1.24	0.17	4.60	0.22	2.97	0.12	0.10	0.28	0.179	0.158	1.13	23.44	0.99	0.49
	月平均雨水濃度			4.78	0.0165	187.48	9.19	1.93	45.99	0.72	26.83	1.08	1.29	3.05	1.566	1.520	1.03	202.93	0.92	2.46
	月雨水降下量	92.7			1.53	17.38	0.85	0.18	4.26	0.07	2.49	0.10	0.12	0.28	0.145	0.141		18.81		0.23
	月全降下量			4.77	1.57	17.52	0.86	0.18	4.29	0.07	2.51	0.10	0.12	0.28	0.146	0.142	1.03	18.96	0.92	0.23
3月	3.06	1149	36.6	4.27	0.0537	85.70	4.62	3.47	13.24	0.65	9.03	0.31	0.61	0.97	0.601	0.526	1.14	87.95	0.97	2.35
	3.13	1120	35.7	5.41	0.0039	100.30	5.76	1.63	23.31	0.90	16.17	0.77	0.91	1.61	0.955	0.804	1.19	113.13	0.89	1.70
	3.21	580	18.5	5.80	0.0016	65.00	5.06	1.81	12.48	0.90	8.83	0.52	1.24	0.89	0.584	0.487	1.20	69.41	0.94	2.84
	3.27	222	7.1	5.57	0.0027	88.30	9.46	7.23	12.57	1.18	8.86	0.75	3.91	1.33	0.777	0.668	1.16	95.05	0.93	7.24
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.53	0.0030	7.71	0.47	0.45	0.96	0.28	0.60	0.17	0.17	0.06	0.062	0.044	1.41	7.94	0.97	0.32
	月平均雨水濃度			4.66	0.0220	87.30	5.47	2.76	16.72	0.83	11.58	0.55	1.08	1.21	0.739	0.630	1.17	94.14	0.93	2.56
	月雨水降下量	97.8			2.15	8.54	0.53	0.27	1.64	0.08	1.13	0.05	0.11	0.12	0.072	0.062		9.21		0.25
	月全降下量			4.65	2.17	8.59	0.54	0.27	1.64	0.08	1.14	0.05	0.11	0.12	0.073	0.062	1.17	9.26	0.93	0.25
	年平均雨水濃度			4.71	0.0193	82.06	4.41	1.55	15.90	1.11	9.50	0.91	0.67	1.24	0.653	0.565	1.16	84.49	0.97	2.02
年	年雨水降下量	1477			28.5	121.23	6.51	2.29	23.49	1.64	14.04	1.34	0.98	1.84	0.965	0.835		124.81		2.99
	年全降下量			4.71	28.7	122.59	6.58	2.33	23.71	1.66	14.18	1.35	1.00	1.85	0.974	0.843	1.15	126.01	0.97	3.03

表2.8 酸性雨調査結果 福井(一雨採取)

(その1)

採取日	採水量	降水量	pH	H+	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECca1	EC比	dSO ₄	
単位	ml	mm		mg/l	μS/cm	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	μS/cm		mg/l	
降下物量		mm		mg/m ²	0.1mS	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	0.1mS		g/m ²	
4月	4.04	537	17.1	4.40	0.0398	35.20	2.98	2.90	2.00	0.52	1.08	0.09	0.42	0.13	0.150	0.165	0.91	33.00	1.07	2.71
	4.11	387	12.3	4.43	0.0372	25.90	1.66	2.27	0.50	0.36	0.11	0.03	0.12	0.00	0.069	0.085	0.81	21.58	1.20	1.63
	4.13	1420	45.2	4.59	0.0257	19.40	1.16	0.99	1.12	0.10	0.62	0.02	0.07	0.04	0.066	0.072	0.91	16.66	1.16	1.00
	4.25	719	22.9	5.73	0.0019	15.37	1.75	1.44	1.62	0.35	0.87	0.08	0.76	0.11	0.108	0.105	1.03	14.93	1.03	1.53
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	1000		6.57	0.0003	18.00	2.06	2.18	1.06	0.14	0.81	0.25	1.59	0.17	0.143	0.108	1.32	16.59	1.08	1.86
	月平均雨水濃度			4.62	0.0240	22.05	1.68	1.59	1.31	0.27	0.69	0.05	0.30	0.07	0.091	0.098	0.93	19.74	1.12	1.51
	月雨水降下量	97.5			2.34	2.15	0.16	0.16	0.13	0.03	0.07	0.00	0.03	0.00	0.009	0.010		1.93		0.15
	月全降下量			4.62	2.35	2.27	0.18	0.17	0.13	0.03	0.07	0.00	0.04	0.00	0.010	0.010	0.95	2.03	1.12	0.16
5月	5.02	645	20.5	5.23	0.0059	26.90	5.47	2.90	0.78	1.14	0.33	0.11	1.63	0.15	0.180	0.183	0.99	27.26	0.99	5.39
	5.06	458	14.6	4.78	0.0166	35.10	3.58	1.87	4.55	0.57	2.53	0.17	0.68	0.32	0.223	0.233	0.96	35.30	0.99	2.94
	5.14	1044	33.2	4.84	0.0145	10.71	1.03	0.76	0.35	0.19	0.10	0.01	0.16	0.00	0.038	0.044	0.86	9.89	1.08	1.00
	5.16	302	9.6	4.59	0.0257	30.80	2.61	1.48	3.49	0.34	1.88	0.13	0.32	0.20	0.162	0.177	0.92	30.11	1.02	2.14
	5.30	1188	37.8	4.91	0.0123	15.53	1.90	1.34	0.81	0.23	0.41	0.07	0.50	0.07	0.075	0.084	0.90	14.51	1.07	1.80
	洗浄水	1000		6.42	0.0004	11.80	1.56	1.44	0.43	0.08	0.61	0.32	0.78	0.13	0.089	0.068	1.31	10.46	1.13	1.41
	月平均雨水濃度			4.87	0.0134	19.90	2.55	1.53	1.37	0.43	0.70	0.08	0.61	0.11	0.109	0.116	0.94	19.36	1.03	2.38
	月雨水降下量	115.8			1.56	2.30	0.30	0.18	0.16	0.05	0.08	0.00	0.07	0.01	0.013	0.013		2.24		0.28
	月全降下量			4.87	1.56	2.38	0.31	0.19	0.16	0.05	0.08	0.01	0.08	0.01	0.013	0.014	0.95	2.31	1.03	0.28
6月	6.13	493	15.7	4.49	0.0324	21.60	1.66	2.29	0.45	0.30	0.09	0.02	0.32	0.02	0.071	0.084	0.84	20.19	1.07	1.64
	6.20	2458	78.3	4.89	0.0129	7.74	0.61	0.49	0.21	0.06	0.09	0.00	0.02	0.00	0.021	0.027	0.80	7.04	1.10	0.59
	6.22	195	6.2	4.50	0.0316	41.80	3.18	1.05	5.94	0.37	3.50	0.12	0.15	0.36	0.245	0.251	0.98	41.74	1.00	2.30
	6.27	964	30.7	4.25	0.0562	35.90	3.45	2.59	0.54	0.89	0.15	0.03	0.12	0.01	0.120	0.129	0.93	33.98	1.06	3.41
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.42	0.0004	11.80	1.57	1.44	0.44	0.09	0.61	0.33	0.78	0.13	0.090	0.068	1.32	10.56	1.12	1.42
	月平均雨水濃度			4.58	0.0263	17.62	1.52	1.23	0.59	0.30	0.27	0.02	0.09	0.02	0.061	0.068	0.89	16.58	1.06	1.46
	月雨水降下量	130.9			3.44	2.31	0.20	0.16	0.08	0.04	0.03	0.00	0.01	0.00	0.008	0.009		2.17		0.19
	月全降下量			4.58	3.44	2.38	0.21	0.17	0.08	0.04	0.04	0.00	0.02	0.00	0.009	0.009	0.91	2.24	1.06	0.20
7月	7.04	478	15.2	4.48	0.0331	24.70	2.80	1.99	0.50	0.70	0.21	0.03	0.21	0.02	0.094	0.104	0.90	23.70	1.04	2.75
	7.07	1770	56.4	4.80	0.0158	11.70	1.30	0.59	0.14	0.42	0.02	0.00	0.03	0.00	0.041	0.041	1.02	10.54	1.11	1.29
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.54	0.0003	13.03	1.46	2.03	0.45	0.16	0.32	0.15	1.45	0.07	0.105	0.076	1.39	12.08	1.08	1.38
	月平均雨水濃度			4.71	0.0195	14.46	1.62	0.89	0.22	0.48	0.06	0.00	0.07	0.00	0.053	0.054	0.97	13.33	1.08	1.60
	月雨水降下量	71.6			1.40	1.04	0.12	0.06	0.02	0.03	0.00	0.00	0.00	0.00	0.004	0.004		0.95		0.11
	月全降下量			4.71	1.40	1.12	0.13	0.08	0.02	0.04	0.00	0.00	0.01	0.00	0.004	0.004	1.02	1.03	1.08	0.12
8月	8.10	137	4.4	4.61	0.0245	54.50	7.34	7.19	2.81	0.98	0.77	0.32	4.08	0.21	0.341	0.348	0.98	54.46	1.00	7.15
	8.22	210	6.7	5.37	0.0043	11.18	0.94	1.25	0.91	0.33	0.29	0.10	0.50	0.04	0.066	0.065	1.01	10.28	1.09	0.87
	8.29	70	2.2	4.34	0.0457	45.20	2.78	2.95	4.59	0.48	2.45	0.11	0.34	0.25	0.219	0.235	0.93	43.51	1.04	2.17
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.16	0.0007	8.09	1.98	1.79	1.36	0.11	1.12	0.30	0.90	0.17	0.122	0.108	1.13	15.40	0.53	1.70
	月平均雨水濃度			4.75	0.0179	31.12	3.35	3.49	2.15	0.57	0.81	0.17	1.65	0.13	0.182	0.187	0.98	30.37	1.02	3.15
	月雨水降下量	13.3			0.24	0.41	0.04	0.05	0.03	0.00	0.01	0.00	0.02	0.00	0.002	0.002		0.40		0.04
	月全降下量			4.74	0.24	0.46	0.06	0.06	0.04	0.00	0.02	0.00	0.03	0.00	0.003	0.003	1.01	0.50	0.93	0.05
9月	9.05	945	30.1	4.59	0.0257	16.83	1.81	0.82	0.42	0.34	0.10	0.03	0.11	0.00	0.055	0.063	0.88	15.84	1.06	1.78
	9.08	475	15.1	4.00	0.1000	52.80	4.82	2.46	0.82	0.58	0.19	0.02	0.14	0.00	0.148	0.163	0.91	50.84	1.04	4.77
	9.19	2352	74.9	4.73	0.0186	11.17	0.85	0.70	0.31	0.17	0.09	0.00	0.05	0.00	0.034	0.038	0.91	10.44	1.07	0.83
	9.26	878	28.0	4.06	0.0871	59.60	4.78	4.00	2.82	0.73	1.51	0.10	0.30	0.17	0.225	0.244	0.92	57.20	1.04	4.40
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		6.16	0.0007	8.10	0.96	0.47	1.95	0.06	1.25	0.10	0.28	0.14	0.086	0.083	1.05	11.18	0.72	0.65
	月平均雨水濃度			4.38	0.0413	25.72	2.19	1.53	0.86	0.35	0.37	0.03	0.12	0.03	0.086	0.094	0.91	24.50	1.05	2.10
	月雨水降下量	148.1			6.12	3.81	0.32	0.23	0.13	0.05	0.05	0.00	0.02	0.00	0.013	0.014		3.63		0.31
	月全降下量			4.38	6.12	3.86	0.33	0.23	0.14	0.05	0.06	0.00	0.02	0.00	0.013	0.015	0.92	3.70	1.04	0.32

酸性雨調査結果 福井（一雨採取）

（その2）

	採取日	採水量	降水量	pH	H ⁺	EC	SO ₄	NO ₃	Cl	NH ₄	Na	K	Ca	Mg	CAT	ANI	CA/AN	ECcal	EC比	dSO ₄
単位	降水濃度	mℓ	mm		mg/ℓ	μS/cm	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	mg/ℓ	meq/ℓ	meq/ℓ		μS/cm		mg/ℓ
	降下物量		mm		mg/m ²	0.1mS	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	g/m ²	eq/m ²	eq/m ²		0.1mS		g/m ²
10月	10.03	1953	62.2	4.72	0.0191	15.61	1.00	0.65	1.46	0.18	0.79	0.02	0.06	0.06	0.072	0.072	0.99	15.16	1.03	0.80
	10.06	147	4.7	4.19	0.0646	52.70	4.52	4.24	3.58	0.81	2.01	0.19	0.60	0.25	0.252	0.263	0.96	53.63	0.98	4.02
	10.11	117	3.7	4.64	0.0229	19.58	1.26	1.97	1.01	0.50	0.33	0.03	0.28	0.03	0.082	0.086	0.95	18.33	1.07	1.18
	10.17	970	30.9	4.41	0.0389	27.90	2.63	1.31	1.38	0.48	0.76	0.05	0.14	0.08	0.113	0.115	0.99	26.94	1.04	2.44
	10.24	1289	41.1	4.48	0.0331	28.00	1.92	0.96	2.66	0.21	1.52	0.04	0.09	0.13	0.127	0.130	0.97	26.70	1.05	1.54
	10.31	284	9.0	4.48	0.0331	62.80	4.87	2.56	7.19	0.81	4.15	0.20	0.38	0.50	0.324	0.345	0.94	54.17	1.16	3.83
	洗浄水	200		5.76	0.0017	21.50	0.97	0.47	1.95	0.06	1.26	0.10	0.28	0.14	0.088	0.083	1.06	11.59	1.86	0.65
	月平均雨水濃度			4.51	0.0311	27.15	2.05	1.20	2.30	0.33	1.29	0.05	0.13	0.12	0.123	0.127	0.97	25.82	1.05	1.73
	月雨水降下量	142.5		4.43	3.87	0.29	0.17	0.33	0.05	0.18	0.00	0.02	0.02	0.018	0.018		3.68		0.25	
	月全降下量			4.51	4.44	4.01	0.30	0.17	0.34	0.05	0.19	0.00	0.02	0.02	0.018	0.019	0.98	3.75	1.07	0.25
11月	11.07	1276	40.6	4.72	0.0191	23.30	1.59	1.10	3.01	0.18	1.71	0.05	0.26	0.17	0.132	0.136	0.97	23.13	1.01	1.16
	11.14	265	8.4	4.27	0.0537	45.50	4.74	3.72	1.63	1.01	1.15	0.15	0.52	0.15	0.202	0.205	0.99	43.59	1.04	4.45
	11.21	823	26.2	4.55	0.0282	22.20	1.58	1.11	1.57	0.25	0.86	0.02	0.08	0.07	0.090	0.095	0.94	20.63	1.08	1.36
	11.28	1180	37.6	4.45	0.0355	42.70	2.95	1.17	5.77	0.34	3.31	0.13	0.20	0.38	0.243	0.243	1.00	42.20	1.01	2.12
	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
	洗浄水	200		5.27	0.0054	30.40	3.13	0.83	5.34	0.28	3.50	0.21	0.52	0.40	0.237	0.229	1.04	32.00	0.95	2.25
	月平均雨水濃度			4.53	0.0292	31.16	2.28	1.32	3.49	0.31	2.00	0.08	0.22	0.22	0.164	0.167	0.98	30.43	1.02	1.77
	月雨水降下量	112.9		3.30	3.52	0.26	0.15	0.39	0.04	0.23	0.00	0.02	0.02	0.019	0.019		3.43		0.20	
	月全降下量			4.53	3.33	3.71	0.28	0.15	0.43	0.04	0.25	0.01	0.03	0.03	0.020	0.020	0.99	3.64	1.02	0.21
	月全降下量			4.53	3.33	3.71	0.28	0.15	0.43	0.04	0.25	0.01	0.03	0.03	0.020	0.020	0.99	3.64	1.02	0.21
12月	12.06	1848	58.9	4.37	0.0427	86.10	4.91	1.51	17.19	0.36	10.23	0.38	0.45	1.11	0.631	0.611	1.03	92.52	0.93	2.34
	12.12	846	26.9	4.40	0.0398	48.40	3.50	1.15	6.84	0.34	4.00	0.17	0.24	0.46	0.287	0.284	1.01	48.96	0.99	2.50
	12.15	1820	58.0	4.35	0.0447	80.00	4.94	1.48	14.71	0.40	8.71	0.33	0.40	0.99	0.556	0.542	1.03	83.98	0.95	2.75
	12.19	1780	56.7	4.54	0.0288	54.20	2.70	0.85	10.42	0.17	6.12	0.19	0.22	0.69	0.377	0.364	1.04	56.06	0.97	1.16
	12.26	288	9.2	4.03	0.0933	86.40	6.61	5.27	7.07	1.18	4.80	0.28	0.97	0.59	0.472	0.422	1.12	86.21	1.00	5.41
	洗浄水	200		5.75	0.0018	28.80	2.09	0.63	5.79	0.70	4.17	0.73	0.30	0.43	0.291	0.217	1.34	33.38	0.86	1.04
	月平均雨水濃度			4.38	0.0413	70.95	4.21	1.44	12.90	0.35	7.66	0.28	0.37	0.86	0.490	0.475	1.03	74.43	0.95	2.29
	月雨水降下量	209.6		8.66	14.87	0.88	0.30	2.70	0.07	1.61	0.06	0.08	0.18	0.103	0.100		15.60		0.48	
	月全降下量			4.38	8.67	15.06	0.90	0.31	2.74	0.08	1.63	0.06	0.08	0.18	0.105	0.101	1.04	15.81	0.95	0.49
	月全降下量			4.50	0.0316	30.10	2.10	0.81	3.41	0.48	2.01	0.06	0.11	0.20	0.169	0.153	1.11	30.49	0.99	1.60
1月	1.04	2088	66.5	4.50	0.0316	30.10	2.10	0.81	3.41	0.48	2.01	0.06	0.11	0.20	0.169	0.153	1.11	30.49	0.99	1.60
	1.09	2937	93.5	4.38	0.0417	51.50	3.45	0.98	7.35	0.53	4.90	0.18	0.20	0.53	0.342	0.295	1.16	53.37	0.96	2.22
	1.13	3680	117.2	4.53	0.0295	57.40	3.62	1.31	10.04	0.53	6.75	0.25	0.42	0.72	0.439	0.380	1.16	61.22	0.94	1.93
	1.17	723	23.0	4.47	0.0339	45.90	2.72	0.75	7.37	0.35	4.80	0.15	0.19	0.51	0.317	0.277	1.15	48.08	0.95	1.52
	1.23	1235	39.3	4.35	0.0447	45.10	3.12	1.70	4.77	0.61	3.00	0.13	0.30	0.34	0.255	0.227	1.12	44.70	1.01	2.37
	1.27	1154	36.8	4.35	0.0447	58.10	4.89	1.86	7.25	0.90	4.80	0.25	0.59	0.54	0.384	0.336	1.14	60.24	0.96	3.69
	1.30	1780	56.7	4.35	0.0447	46.30	2.51	0.96	7.37	0.47	5.05	0.17	0.20	0.53	0.348	0.276	1.26	52.94	0.87	1.24
	洗浄水	200		4.51	0.0309	60.70	4.72	1.09	10.23	0.96	7.11	0.24	0.63	0.92	0.507	0.404	1.25	67.71	0.90	2.94
	月平均雨水濃度			4.43	0.0373	48.81	3.22	1.17	7.23	0.54	4.79	0.18	0.29	0.51	0.337	0.290	1.16	51.44	0.95	2.02
	月雨水降下量	433.0		16.17	21.14	1.39	0.51	3.13	0.24	2.07	0.08	0.12	0.22	0.146	0.126		22.27		0.87	
月全降下量			4.42	16.37	21.52	1.42	0.51	3.20	0.24	2.12	0.08	0.13	0.23	0.149	0.128	1.16	22.71	0.95	0.89	
2月	2.06	1630	51.9	4.54	0.0288	63.70	3.72	0.38	12.35	0.49	8.68	0.28	0.32	0.90	0.531	0.432	1.23	69.64	0.91	1.54
	2.08	432	13.8	4.58	0.0263	23.30	1.72	0.62	2.48	0.54	1.46	0.06	0.05	0.14	0.135	0.116	1.17	24.38	0.96	1.35
	2.13	884	28.2	4.41	0.0389	38.90	2.74	1.46	4.15	0.68	2.66	0.13	0.20	0.30	0.230	0.198	1.17	39.51	0.98	2.07
	2.20	773	24.6	4.24	0.0575	59.90	4.60	1.92	5.98	0.97	3.91	0.19	0.28	0.44	0.336	0.295	1.14	58.47	1.02	3.62
	2.27	948	30.2	4.39	0.0407	71.60	4.61	1.48	11.72	0.80	8.06	0.30	0.42	0.86	0.535	0.450	1.19	75.27	0.95	2.59
	洗浄水	200		5.56	0.0028	21.90	1.81	0.71	4.10	0.59	2.67	0.30	0.59	0.27	0.211	0.165	1.28	25.35	0.86	1.14
	月平均雨水濃度			4.34	0.0461	73.99	4.70	1.49	11.93	0.84	8.26	0.30	0.41	0.86	0.551	0.459	1.20	78.33	0.94	2.63
	月雨水降下量	128.5		5.93	9.51	0.60	0.19	1.53	0.11	1.06	0.04	0.05	0.11	0.071	0.059		10.07		0.34	
	月全降下量			4.33	5.94	9.65	0.62	0.20	1.56	0.11	1.08	0.04	0.06	0.11	0.072	0.060	1.20	10.23	0.94	0.35
	月全降下量			4.33	5.94	9.65	0.62	0.20	1.56	0.11	1.08	0.04	0.06	0.11	0.072	0.060	1.20	10.23	0.94	0.35
3月	3.06	994	31.7	4.23	0.0589	63.30	3.92	3.63	6.96	0.73	4.62	0.16	0.53	0.51	0.373	0.336	1.11	63.45	1.00	2.76
	3.13	1642	52.3	4.68	0.0209	47.60	3.72	1.41	7.85	0.64	5.39	0.19	0.65	0.59	0.377	0.322	1.17	51.26	0.93	2.37
	3.20	853	27.2	4.63	0.0234	37.60	4.04	1.88	4.19	1.08	2.74	0.17	0.88	0.37	0.281	0.233	1.21	41.04		